ELSEVIER

Remote Sensing of Environment 83 (2002) 511–521

Remote Sensing of Environment

www.elsevier.com/locate/rse

Author Index for Volumes 79–83

Aalto, P.: *See* Tomppo, E.
Adams, J.B.: *See* Sabol Jr., D.E.
Adams, P.: *See* Kirkland, L.
Albertson, J.D.: *See* Scanlon, T.M.
Alleaume, S.: *See* Justice, C.O.
Almeida-Filho, R. and Shimabukuro, Y.E.: Digital processing of a Landsat-TM time series for mapping and monitoring degraded areas caused by independent gold miners, Roraima State, Brazilian Amazon 79:42
Andersen, J.: *See* Sandholt, I.
Anderson, A.B.: *See* Gertner, G.
Andersson, K.: *See* Tian, Y.
Antoine, D.: *See* Bricaud, A.
Arnone, R.A.: *See* Gould Jr. ,R.W.
Askne, J.: *See* Dokken, S.T.
Askne, J.: *See* Santoro, M.
Asner, G.P., Keller, M., Pereira Jr., R. and Zweede, J.C.: Remote sensing of selective logging in AmazoniaAssessing limitations based on detailed field observations, Landsat ETM+, and textural analysis 80:483
Atkinson, P.M.: *See* Hedger, R.D.
Atkinson, P.M.: *See* Tatem, A.J.

Baccini, A.: *See* Friedl, M.A.
Bacour, C., Jacquemoud, S., Tourbier, Y., Dechambre, M. and Frangi, J.-P.: Design and analysis of numerical experiments to compare four canopy reflectance models 79:72
Baret, F.: *See* Jacob, F.
Baret, F.: *See* Weidong, L.
Barnes, W.L.: *See* Guenther, B.
Barnsley, M.: *See* Schaaf, C.B.
Barros, A.P.: *See* Kim, G.
Bauer, M.E.: *See* Kloiber, S.M.
Bayr, K.J.: *See* Hall, D.K.
Beaulieu, A. and Gaonac'h, H.: Scaling of differentially eroded surfaces in the drainage network of the Ethiopian Plateau 82:111
Bechtel, R., Rivard, B. and Sánchez-Azofeifa, A.: Spectral properties of foliose and crustose lichens based on laboratory experiments 82:389
Belchansky, G.I. and Douglas, D.C.: Seasonal comparisons of sea ice concentration estimates derived from SSM/I, OKEAN, and RADARSAT data 81:67
Bell, F.W.: *See* Pouliot, D.A.
Benvenuto, F.: *See* Silvestri, S.
Berterretche, M.: *See* Hudak, A.T.
Berthelot, B.: *See* Duchemin, B.
Biggar, S.F.: *See* Rojas, F.
Bing, Z.: *See* Weidong, L.
Björk, G.: *See* Dokken, S.T.
Blackburn, G.A.: Remote sensing of forest pigments using airborne imaging spectrometer and LIDAR imagery 82:311
Blair, J.B.: *See* Drake, J.B.
Blair, J.B.: *See* Drake, J.B.
Blumberg, D.G.: *See* Zhu, G.
Boegh, E., Soegaard, H. and Thomsen, A.: Evaluating evapotranspiration rates and surface conditions using Landsat TM to estimate atmospheric resistance and surface resistance 79:329
Boegh, E., Soegaard, H., Broge, N., Hasager, C.B., Jensen, N.O., Schelde, K. and Thomsen, A.: Airborne multispectral data for quantifying leaf area index, nitrogen concentration, and photosynthetic efficiency in agriculture 81:179
Boisvert, J.B.: *See* Strachan, I.B.
Boles, S.: *See* Xiao, X.
Borak, J.S.: *See* Roy, D.P.
Bosc, E.: *See* Bricaud, A.
Bosseno, R.: *See* Wan, Z.
Braden, J.: *See* Laba, M.
Brezonik, P.L.: *See* Kloiber, S.M.
Bricaud, A., Bosc, E. and Antoine, D.: Algal biomass and sea surface temperature in the Mediterranean BasinIntercomparison of data from various satellite sensors, and implications for primary production estimates 81:163
Brisco, B.: *See* McNairn, H.
Brisson, A.: *See* François, C.
Broge, N.: *See* Boegh, E.
Broge, N.H. and Mortensen, J.V.: Deriving green crop area index and canopy chlorophyll density of winter wheat from spectral reflectance data 81:45
Brown, L.: *See* Chen, J.M.
Brown, R.J.: *See* Wood, D.
Bryant, R.G. and Rainey, M.P.: Investigation of flood inundation on playas within the Zone of Chotts, using a time-series of AVHRR 82:360
Buermann, W.: *See* Tian, Y.
Buermann, W.: *See* Tian, Y.
Buongiorno, M.F., Realmuto, V.J. and Doumaz, F.: Recovery of spectral emissivity from Thermal Infrared

0034-4257/02/$ - see front matter © Elsevier Science Inc. All rights reserved.
PII: S0034-4257(02)00159-1

Multispectral Scanner imagery acquired over a mountainous terrainA case study from Mount Etna Sicily 79:123
Bussières, N., Verseghy, D. and MacPherson, J.I.: The evolution of AVHRR-derived water temperatures over boreal lakes 80:373
Byrne, D.: *See* Thomas, A.

Caldeira, R.M.A., Groom, S., Miller, P., Pilgrim, D. and Nezlin, N.P.: Sea-surface signatures of the island mass effect phenomena around Madeira Island, Northeast Atlantic 80:336
Caraglio, Y.: *See* Castel, T.
Carder, K.L.: *See* Hu, C.
Carroll, M.: *See* Hansen, M.C.
Carroll, M.L.: *See* Zhan, X.
Castaing, P.: *See* Doxaran, D.
Castaing, P.: *See* Lafon, V.
Castel, T., Guerra, F., Caraglio, Y. and Houllier, F.: Retrieval biomass of a large Venezuelan pine plantation using JERS-1 SAR data. Analysis of forest structure impact on radar signature 79:30
Caylor, K.K.: *See* Scanlon, T.M.
Ceccato, P., Gobron, N., Flasse, S., Pinty, B. and Tarantola, S.: Designing a spectral index to estimate vegetation water content from remote sensing data: Part 1Theoretical approach 82:188
Ceccato, P., Flasse, S. and Grégoire, J.-M.: Designing a spectral index to estimate vegetation water content from remote sensing dataPart 2. Validation and applications 82:198
Chabrillat, S., Goetz, A.F.H., Krosley, L. and Olsen, H.W.: Use of hyperspectral images in the identification and mapping of expansive clay soils and the role of spatial resolution 82:431
Chazdon, R.L.: *See* Drake, J.B.
Chen, D.M.: *See* Stow, D.A.
Chen, G., Ezraty, R., Fang, C. and Fang, L.: A new look at the zonal pattern of the marine wind system from TOPEX measurements 79:15
Chen, J.M.: *See* Lacaze, R.
Chen, J.M., Pavlic, G., Brown, L., Cihlar, J., Leblanc, S.G., White, H.P., Hall, R.J., Peddle, D.R., King, D.J., Trofymow, J.A., Swift, E., Van der Sanden, J. and Pellikka, P.K.E.: Derivation and validation of Canada-wide coarse-resolution leaf area index maps using high-resolution satellite imagery and ground measurements 80:165
Chen, M.: *See* Liang, S.
Chipman, J.W.: *See* Reese, H.M.
Chuvieco, E.: *See* Riaño, D.
Cihlar, J.: *See* Chen, J.M.
Cihlar, J.: *See* Du, Y.
Cihlar, J.: *See* Trishchenko, A.P.
Cihlar, J.: *See* Zhang, Y.
Clark, D.B.: *See* Drake, J.B.
Clark, D.B.: *See* Drake, J.B.
Cohen, W.B.: *See* Hudak, A.T.
Cohen, W.B.: *See* Turner, D.P.
Cooper, A.: *See* Friedl, M.A.
Curran, P.J.: *See* O'Neill, A.L.
Czajkowski, K.P.: *See* Goward, S.N.
Czajkowski, K.P.: *See* Ouaidrari, H.
Czajkowski, K.P., Goward, S.N., Shirey, D. and Walz, A.: Thermal remote sensing of near-surface water vapor 79:253

Dabrowska-Zielinska, K.: *See* Inoue, Y.
Daughtry, C.: *See* Liang, S.
De Wasseige, C. and Defourny, P.: Retrieval of tropical forest structure characteristics from bi-directional reflectance of SPOT images 83:362
De Wulf, R.: *See* Verhoeye, J.
Dechambre, M.: *See* Bacour, C.
Dedieu, G.: *See* Duchemin, B.
Deering, D.W.: *See* Qin, W.
Defourny, P.: *See* de Wasseige, C.
DeFries, R.S.: *See* Hansen, M.C.
DeFries, R.S.: *See* Huang, C.
DeFries, R.S.: *See* Zhan, X.
DeGloria, S.D.: *See* Laba, M.
Dehaan, R.L. and Taylor, G.R.: Field-derived spectra of salinized soils and vegetation as indicators of irrigation-induced soil salinization 80:406
Dennison, P.: *See* Riaño, D.
D'Entremont, R.P.: *See* Schaaf, C.B.
Descloitres, J.: *See* Justice, C.O.
Descloitres, J.: *See* Roy, D.P.
Devadiga, S.: *See* Roy, D.P.
Dextraze, L.: *See* Haboudane, D.
Diaz, H.F.: *See* Salinas-Zavala, C.A.
Didan, K.: *See* Huete, A.
DiGirolamo, N.E.: *See* Hall, D.K.
DiMiceli, C.: *See* Zhan, X.
Dimiceli, C.: *See* Hansen, M.C.
Disney, M.: *See* Schaaf, C.B.
Dixon, R.: *See* Wood, D.
Dixon, R.: *See* Wood, D.
Dokken, S.T., Winsor, P., Markus, T., Askne, J. and Björk, G.: ERS SAR characterization of coastal polynyas in the Arctic and comparison with SSM/I and numerical model investigations 80:321
Doll, C.: *See* Schaaf, C.B.
Dong, J.: *See* Tian, Y.
Dong, J.: *See* Tian, Y.
D'Ortenzio, F., Marullo, S., Ragni, M., Ribera d'Alcalà, M. and Santoleri, R.: Validation of empirical SeaWiFS algorithms for chlorophyll-*a* retrieval in the Mediterranean SeaA case study for oligotrophic seas 82:79
Douglas, A.V.: *See* Salinas-Zavala, C.A.
Douglas, D.C.: *See* Belchansky, G.I.

Doumaz, F.: *See* Buongiorno, M.F.
Doxaran, D., Froidefond, J.-M., Lavender, S. and Castaing, P.: Spectral signature of highly turbid waterSApplication with SPOT data to quantify suspended particulate matter concentrations 81:149
Drake, J.B., Dubayah, R.O., Clark, D.B., Knox, R.G., Blair, J.B., Hofton, M.A., Chazdon, R.L., Weishampel, J.F. and Prince, S.D.: Estimation of tropical forest structural characteristics using large-footprint lidar 79:305
Drake, J.B., Dubayah, R.O., Knox, R.G., Clark, D.B. and Blair, J.B.: Sensitivity of large-footprint lidar to canopy structure and biomass in a neotropical rainforest 81:378
Du, Y., Teillet, P.M. and Cihlar, J.: Radiometric normalization of multitemporal high-resolution satellite images with quality control for land cover change detection 82:123
Dubayah, R.O.: *See* Drake, J.B.
Duchemin, B. and Maisongrande, P.: Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT:I. Investigation of concepts based on simulation 81:90
Duchemin, B., Berthelot, B., Dedieu, G., Leroy, M. and Maisongrande, P.: Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT:II. Validation of an operational method on actual data sets 81:101
Duguay, C.: *See* McNairn, H.
Dunderdale, M.: *See* Schaaf, C.B. 83:135
Dymond, C.C., Mladenoff, D.J. and Radeloff, V.C.: Phenological differences in Tasseled Cap indices improve deciduous forest classification 80:460

Eastman, J.C.: *See* Zhan, X.
Ediriwickrema, J.: *See* Lunetta, R.S.
Edwards, A.J.: *See* Mumby, P.J.
Eerens, H.: *See* Veroustraete, F.
Ekstrand, S.: *See* Falkenström, H.
El Saleous, N.Z.: *See* Vermote, E.F.
Estève, P.: *See* Kimes, D.
Ezraty, R.: *See* Chen, G.

Falkenström, H. and Ekstrand, S.: Evaluation of IRS-1c LISS-3 satellite data for defoliation assessment on Norway spruce and Scots pine 82:208
Fang, C.: *See* Chen, G.
Fang, H.: *See* Liang, S.
Fang, L.: *See* Chen, G.
Fang, S.: *See* Gertner, G.
Faure, T., Isaka, H. and Guillemet, B.: Neural network retrieval of cloud parameters from high-resolution multispectral radiometric dataA feasibility study 80:285
Fegraus, E.: *See* Laba, M.
Ferreira, L.G.: *See* Huete, A.
Fiore, J.: *See* Laba, M.
Flasse, S.: *See* Ceccato, P.
Fleig, A.J.: *See* Wolfe, R.E.
Flynn, L.: *See* Wright, R.
Foody, G.M.: Status of land cover classification accuracy assessment 80:185
Françcois, C.: The potential of directional radiometric temperatures for monitoring soil and leaf temperature and soil moisture status 80:122
François, C., Brisson, A., Le Borgne, P. and Marsouin, A.: Definition of a radiosounding database for sea surface brightness temperature simulationsApplication to sea surface temperature retrieval algorithm determination 81:309
Frangi, J.-P.: *See* Bacour, C.
Franklin, J.: *See* Rogan, J.
Fransson, J.E.S.: *See* Santoro, M.
Fraser, R.H. and Li, Z.: Estimating fire-related parameters in boreal forest using SPOT VEGETATION 82:95
French, A.: *See* Schmugge, T.
Friedl, M.: *See* Myneni, R.B.
Friedl, M.A.: Forward and inverse modeling of land surface energy balance using surface temperature measurements 79:344
Friedl, M.A.: *See* McIver, D.K.
Friedl, M.A., McIver, D.K., Hodges, J.C.F., Zhang, X.Y., Muchoney, D., Strahler, A.H., Woodcock, C.E., Gopal, S., Schneider, A., Cooper, A., Baccini, A., Gao, F. and Schaaf, C.: Global land cover mapping from MODIS: algorithms and early results 83:287
Frison, P.L.: *See* Jarlan, L.
Froidefond, J.M.: *See* Lafon, V.
Froidefond, J.-M., Gardel, L., Guiral, D., Parra, M. and Ternon, J.-F.: Spectral remote sensing reflectances of coastal waters in French Guiana under the Amazon influence 80:225
Froidefond, J.-M.: *See* Doxaran, D.

Gamon, J.A.: *See* Sims, D.A.
Gao, F.: *See* Friedl, M.A.
Gao, F.: *See* Schaaf, C.B.
Gao, X.: *See* Huete, A.
Gaonac'h, H.: *See* Beaulieu, A.
Garbeil, H.: *See* Wright, R.
García-Haro, F.J. and Sommer, S.: A fast canopy reflectance model to simulate realistic remote sensing scenarios 81:205
García-Haro, F.J.: *See* Gilabert, M.A.
Gardel, L.: *See* Froidefond, J.-M.
Garrity, C., Lubin, D., Kern, S. and Pedersen, L.T.: Linescan camera evaluation of SSM/I 85.5 GHz sea ice retrieval 83:473
Gastellu-Etchegorry, J.: *See* Kimes, D.
Gautier, C.: *See* Wyser, K.
Gemmell, F., Varjo, J., Strandstrom, M. and Kuusk, A.: Comparison of measured boreal forest characteristics

with estimates from TM data and limited ancillary information using reflectance model inversion 81:365
Gerstl, S.A.W.: *See* Qin, W.
Gertner, G., Wang, G., Fang, S. and Anderson, A.B.: Mapping and uncertainty of predictions based on multiple primary variables from joint co-simulation with Landsat TM image and polynomial regression 83:499
Giglio, L.: *See* Justice, C.O.
Gilabert, M.A., González-Piqueras, J., García-Haro, F.J. and Meliá, J.: A generalized soil-adjusted vegetation index 82:303
Gillespie, A.R.: *See* Sabol Jr. ,D.E.
Gitelson, A.A., Kaufman, Y.J., Stark, R. and Rundquist, D.: Novel algorithms for remote estimation of vegetation fraction 80:76
Glassy, J.: *See* Myneni, R.B.
Gleason, A.C.R., Prince, S.D., Goetz, S.J. and Small, J.: Effects of orbital drift on land surface temperature measured by AVHRR thermal sensors 79:147
Gobron, N.: *See* Ceccato, P.
Goel, N.S.: *See* Qin, W.
Goetz, A.F.H.: *See* Chabrillat, S.
Goetz, S.: *See* Lakshmi, V.
Goetz, S.J.: *See* Gleason, A.C.R.
Goldmann, R.A.: *See* Reese, H.M.
González-Piqueras, J.: *See* Gilabert, M.A.
Gopal, S.: *See* Friedl, M.A.
Gordon, H.R.: *See* Wang, M.
Göttsche, F.-M. and Olesen, F.S.: Evolution of neural networks for radiative transfer calculations in the terrestrial infrared 80:157
Gould Jr. ,R.W. and Arnone, R.A.: Coastal optical properties estimated from airborne sensorsReply to the comments by Hu and Carder 79:138
Goward, S.N., Xue, Y. and Czajkowski, K.P.: Evaluating land surface moisture conditions from the remotely sensed temperature/vegetation index measurementsAn exploration with the simplified simple biosphere model 79:225
Goward, S.N.: *See* Czajkowski, K.P.
Goward, S.N.: *See* Ouaidrari, H.
Gower, S.T.: *See* Turner, D.P.
Grégoire, J.-M.: *See* Ceccato, P.
Green, R.M. and Hay, S.I.: The potential of Pathfinder AVHRR data for providing surrogate climatic variables across Africa and Europe for epidemiological applications 79:166
Grégoire, J.-M.: *See* Stroppiana, D.
Gregory, M.: *See* Turner, D.P.
Gregory, S.K.: *See* Laba, M.
Greuell, W., Reijmer, C.H. and Oerlemans, J.: Narrowband-to-broadband albedo conversion for glacier ice and snow based on aircraft and near-surface measurements 82:48
Groom, S.: *See* Caldeira, R.M.A.
Guenther, B., Xiong, X., Salomonson, V.V., Barnes, W.L. and Young, J.: On-orbit performance of the Earth Observing System Moderate Resolution Imaging Spectroradiometer; first year of data 83:16
Guerra, F.: *See* Castel, T.
Guillemet, B.: *See* Faure, T.
Guindon, B.: *See* Zhang, Y.
Guiral, D.: *See* Froidefond, J.-M.

Häme, T.: *See* Tian, Y.
Haboudane, D., Miller, J.R., Tremblay, N., Zarco-Tejada, P.J. and Dextraze, L.: Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture 81:416
Hackwell, J.: *See* Kirkland, L.
Hall, D.K., Riggs, G.A., Salomonson, V.V., DiGirolamo, N.E. and Bayr, K.J.: MODIS snow-cover products 83:181
Hall, R.J.: *See* Chen, J.M.
Hallikainen, M.: *See* Koponen, S.
Hallikainen, M.: *See* Zhang, Y.
Häme, T.: *See* Tian, Y.
Hanocq, J.F.: *See* Wan, Z.
Hansen, M.C., DeFries, R.S., Townshend, J.R.G., Sohlberg, R., Dimiceli, C. and Carroll, M.: Towards an operational MODIS continuous field of percent tree cover algorithm: examples using AVHRR and MODIS data 83:303
Hansen, M.C., DeFries, R.S., Townshend, J.R.G., Marufu, L. and Sohlberg, R.: Development of a MODIS tree cover validation data set for Western Province, Zambia 83:320
Hansen, M.C.: *See* Zhan, X.
Hansen, M.H.: *See* McRoberts, R.E.
Harris, A.: *See* Wright, R.
Hasager, C.B.: *See* Boegh, E.
Hautecoeur, O.: *See* Jacob, F.
Hay, S.I.: *See* Green, R.M.
Hedger, R.D., Olsen, N.R.B., Malthus, T.J. and Atkinson, P.M.: Coupling remote sensing with computational fluid dynamics modelling to estimate lake chlorophyll-*a* concentration 79:116
Herr, K.: *See* Kirkland, L.
Hiernaux, P.: *See* Jarlan, L.
Hill, E.: *See* Laba, M.
Hobson, P.: *See* Schaaf, C.B.
Hodges, J.C.F.: *See* Friedl, M.A.
Hoffman, S.: *See* Myneni, R.B.
Hofton, M.A.: *See* Drake, J.B.
Holden, H. and LeDrew, E.: Measuring and modeling water column effects on hyperspectral reflectance in a coral reef environment 81:300
Hong, H.: *See* Tang, D.
Houllier, F.: *See* Castel, T.
Hu, B.: *See* Schaaf, C.B.
Hu, C. and Carder, K.L.: Atmospheric correction for airborne sensors: Comment on a scheme used for CASI 79:134

Huang, C., Townshend, J.R.G., Liang, S., Kalluri, S.N.V. and DeFries, R.S.: Impact of sensor's point spread function on land cover characterization: assessment and deconvolution 80:203
Hudak, A.T., Lefsky, M.A., Cohen, W.B. and Berterretche, M.: Integration of lidar and Landsat ETM+ data for estimating and mapping forest canopy height 82:397
Huete, A., Didan, K., Miura, T., Rodriguez, E.P., Gao, X. and Ferreira, L.G.: Overview of the radiometric and biophysical performance of the MODIS vegetation indices 83:195
Hunt Jr. ,E.R.: *See* Parker Williams, A.
Hwang, P.A., Wright, W., Krabill, W.B. and Swift, R.N.: Airborne remote sensing of breaking waves 80:65
Hymer, D.C.: *See* Moran, M.S.

Inoue, Y., Kurosu, T., Maeno, H., Uratsuka, S., Kozu, T., Dabrowska-Zielinska, K. and Qi, J.: Season-long daily measurements of multifrequency (Ka, Ku, X, C, and L) and full-polarization backscatter signatures over paddy rice field and their relationship with biological variables 81:194
Isaka, H.: *See* Faure, T.
Ishimoto, H.: *See* Masuda, K.

Jacob, F., Olioso, A., Weiss, M., Baret, F. and Hautecoeur, O.: Mapping short-wave albedo of agricultural surfaces using airborne PolDER data 80:36
Jacquemoud, S.: *See* Bacour, C.
Janke, J.R.: An analysis of the current stability of the Dune Field at Great Sand Dunes National Monument using temporal TM imagery (1984–1998) 83:489
Jarlan, L., Mougin, E., Frison, P.L., Mazzega, P. and Hiernaux, P.: Analysis of ERS wind scatterometer time series over Sahel (Mali) 81:404
Jensen, N.O.: *See* Boegh, E.
Jin, Y.: *See* Schaaf, C.B.
Johnson, D.M.: *See* Lunetta, R.S.
Jones, C.: *See* Wyser, K.
Jupp, D.L.B.: *See* McVicar, T.R.
Justice, C.O., Townshend, J.R.G., Vermote, E.F., Masuoka, E., Wolfe, R.E., Saleous, N., Roy, D.P. and Morisette, J.T.: An overview of MODIS Land data processing and product status 83:3
Justice, C.O.: *See* Morisette, J.T.
Justice, C.O.: *See* Townshend, J.R.G.
Justice, C.O.: *See* Vermote, E.F.
Justice, C.O., Giglio, L., Korontzi, S., Owens, J., Morisette, J.T., Roy, D., Descloitres, J., Alleaume, S., Petitcolin, F. and Kaufman, Y.: The MODIS fire products 83:244
Justice, C.O.: *See* Roy, D.P.

Kallio, K.: *See* Koponen, S.
Kalluri, S.N.V.: *See* Huang, C.
Kaufman, Y.: *See* Justice, C.O.
Kaufman, Y.J.: *See* Gitelson, A.A.
Kaufmann, H.: *See* Thiemann, S.
Kawamura, H.: *See* Tang, D.
Keim, E.: *See* Kirkland, L.
Keller, M.: *See* Asner, G.P.
Kennedy, P.: *See* Tomppo, E.
Kern, S.: *See* Garrity, C.
Kerr, Y.: *See* Moran, M.S.
Kester, D.R.: *See* Tang, D.
Kharuk, V.I.: *See* Sun, G.
Kim, D.-j. and Moon, W.M.: Estimation of sea surface wind vector using RADARSAT data 80:55
Kim, G. and Barros, A.P.: Space–time characterization of soil moisture from passive microwave remotely sensed imagery and ancillary data 81:393
Kim, G. and Barros, A.P.: Downscaling of remotely sensed soil moisture with a modified fractal interpolation method using contraction mapping and ancillary data 83:401
Kimes, D., Gastellu-Etchegorry, J. and Estève, P.: Recovery of forest canopy characteristics through inversion of a complex 3D model 79:320
King, D.J.: *See* Chen, J.M.
King, D.J.: *See* Pouliot, D.A.
Kirkland, L., Herr, K., Keim, E., Adams, P., Salisbury, J., Hackwell, J. and Treiman, A.: First use of an airborne thermal infrared hyperspectral scanner for compositional mapping 80:447
Kloiber, S.M., Brezonik, P.L., Olmanson, L.G. and Bauer, M.E.: A procedure for regional lake water clarity assessment using Landsat multispectral data 82:38
Knox, R.G.: *See* Drake, J.B.
Knyazikhin, Y.: *See* Myneni, R.B.
Knyazikhin, Y.: *See* Privette, J.L.
Knox, R.G.: *See* Drake, J.B.
Knyazikhin, Y.: *See* Tian, Y.
Knyazikhin, Y.: *See* Zhang, Y.
Koponen, S.: *See* Zhang, Y.
Koponen, S., Pulliainen, J., Kallio, K. and Hallikainen, M.: Lake water quality classification with airborne hyperspectral spectrometer and simulated MERIS data 79:51
Korontzi, S.: *See* Justice, C.O.
Kozu, T.: *See* Inoue, Y.
Krabill, W.B.: *See* Hwang, P.A.
Krosley, L.: *See* Chabrillat, S.
Kuo, T.-H.: *See* Liu, G.-R.
Kupiec, J.A.: *See* O'Neill, A.L.
Kurosu, T.: *See* Inoue, Y.
Kuusk, A.: *See* Gemmell, F.
Kuyper, J.A.: *See* Wolfe, R.E.

Laba, M., Gregory, S.K., Braden, J., Ogurcak, D., Hill, E., Fegraus, E., Fiore, J. and DeGloria, S.D.: Conventional and fuzzy accuracy assessment of the New York Gap Analysis Project land cover map 81:443

Lacaze, R., Chen, J.M., Roujean, J.-L. and Leblanc, S.G.: Retrieval of vegetation clumping index using hot spot signatures measured by POLDER instrument 79:84
Lafon, V., Froidefond, J.M., Lahet, F. and Castaing, P.: SPOT shallow water bathymetry of a moderately turbid tidal inlet based on field measurements 81:136
Lahet, F.: *See* Lafon, V.
Lakshmi, V., Small, J. and Goetz, S.: Comparison of surface meteorological variables from TOVS and AVHRR 79:176
Lanfen, Z.: *See* Weidong, L.
Lavender, S.: *See* Doxaran, D.
Le Borgne, P.: *See* François, C.
Leblanc, S.G.: *See* Chen, J.M.
Leblanc, S.G.: *See* Lacaze, R.
Leblanc, S.G.: *See* Privette, J.L.
LeDrew, E.: *See* Holden, H.
Lefsky, M.A.: *See* Hudak, A.T.
Leroy, M.: *See* Duchemin, B.
Lewis, H.G.: *See* Tatem, A.J.
Lewis, P.: *See* Schaaf, C.B.
Lewis, P.E.: *See* Roy, D.P.
Li, X.: *See* Schaaf, C.B.
Li, X.: *See* Song, C.
Li, Z.: *See* Fraser, R.H.
Li, Z.: *See* Trishchenko, A.P.
Li, Z.-l.: *See* Wan, Z.
Liang, S.: *See* Huang, C.
Liang, S.: *See* Schaaf, C.B.
Liang, S., Fang, H., Chen, M., Shuey, C.J., Walthall, C., Daughtry, C., Morisette, J., Schaaf, C. and Strahler, A.: Validating MODIS land surface reflectance and albedo products: methods and preliminary results 83:149
Liangrocapart, S. and Petrou, M.: A two-layer model of the bidirectional reflectance of homogeneous vegetation canopies 80:17
Lillesand, T.M.: *See* Reese, H.M.
Lin, T.-H.: *See* Liu, G.-R.
Liu, G.-R., Lin, T.-H. and Kuo, T.-H.: Estimation of aerosol optical depth by applying the optimal distance number to NOAA AVHRR data 81:247
Liu, J.: *See* Xiao, X.
Liu, M.: *See* Xiao, X.
Lotsch, A.: *See* Myneni, R.B.
Lubin, D.: *See* Garrity, C.
Lucht, W.: *See* Schaaf, C.B.
Luis, A.J.: *See* Tang, D.
Lunetta, R.S., Ediriwickrema, J., Johnson, D.M., Lyon, J.G. and McKerrow, A.: Impacts of vegetation dynamics on the identification of land-cover change in a biologically complex community in North Carolina, USA 82:258
Lyon, J.G.: *See* Lunetta, R.S.

MacPherson, J.I.: *See* Bussières, N.
Maeno, H.: *See* Inoue, Y.
Maiersperger, T.K.: *See* Turner, D.P.
Maisongrande, P.: *See* Duchemin, B.
Maisongrande, P.: *See* Duchemin, B.
Malthus, T.J.: *See* Hedger, R.D.
Mannel, S.: *See* Wylie, B.K.
Mano, Y.: *See* Masuda, K.
Marani, A.: *See* Silvestri, S.
Marani, M.: *See* Silvestri, S.
Markus, T.: *See* Dokken, S.T.
Marsouin, A.: *See* François, C.
Marufu, L.: *See* Hansen, M.C.
Marullo, S.: *See* D'Ortenzio, F.
Masuda, K., Mano, Y., Ishimoto, H., Tokuno, M., Yoshizaki, Y. and Okawara, N.: Assessment of the nonsphericity of mineral dust from geostationary satellite measurements 82:238
Masuoka, E.: *See* Justice, C.O.
Matsushita, B. and Tamura, M.: Integrating remotely sensed data with an ecosystem model to estimate net primary productivity in East Asia 81:58
Mazzega, P.: *See* Jarlan, L.
McIver, D.K. and Friedl, M.A.: Using prior probabilities in decision-tree classification of remotely sensed data 81:253
McIver, D.K.: *See* Friedl, M.A.
McKerrow, A.: *See* Lunetta, R.S.
McNairn, H.: *See* Wood, D.
McNairn, H.: *See* Wood, D.
McNairn, H., Duguay, C., Brisco, B. and Pultz, T.J.: The effect of soil and crop residue characteristics on polarimetric radar response 80:308
McRoberts, R.E., Wendt, D.G., Nelson, M.D. and Hansen, M.H.: Using a land cover classification based on satellite imagery to improve the precision of forest inventory area estimates 81:36
McRoberts, R.E., Nelson, M.D. and Wendt, D.G.: Stratified estimation of forest area using satellite imagery, inventory data, and the *k*-Nearest Neighbors technique 82:457
McVicar, T.R. and Jupp, D.L.B.: Using covariates to spatially interpolate moisture availability in the Murray–Darling BasinA novel use of remotely sensed data 79:199
Meliá, J.: *See* Gilabert, M.A.
Metsämäki, S., Vepsäläinen, J., Pulliainen, J. and Sucksdorff, Y.: Improved linear interpolation method for the estimation of snow-covered area from optical data 82:64
Meyer, D.J.: *See* Wylie, B.K.
Mikkelsen, O.A.: Variation in the projected surface area of suspended particles: Implications for remote sensing assessment of TSM 79:23
Miller, J.D. and Yool, S.R.: Mapping forest post-fire canopy consumption in several overstory types using multi-temporal Landsat TM and ETM data 82:481
Miller, J.R.: *See* Haboudane, D.

Miller, P.: *See* Caldeira, R.M.A.
Min, K.D.: *See* Ryu, J.-H.
Miura, T.: *See* Huete, A.
Mladenoff, D.J.: *See* Dymond, C.C.
Moon, W.M.: *See* Kim, D.-j.
Moran, M.S., Hymer, D.C., Qi, J. and Kerr, Y.: Comparison of ERS-2 SAR and Landsat TM imagery for monitoring agricultural crop and soil conditions 79:243
Morisette, J.: *See* Liang, S.
Morisette, J.T.: *See* Justice, C.O.
Morisette, J.T.: *See* Myneni, R.B.
Morisette, J.T., Privette, J.L. and Justice, C.O.: A framework for the validation of MODIS Land products 83:77
Mortensen, J.V.: *See* Broge, N.H.
Mougin, E.: *See* Jarlan, L.
Muchoney, D.: *See* Friedl, M.A.
Muchoney, D.M. and Strahler, A.H.: Pixel- and site-based calibration and validation methods for evaluating supervised classification of remotely sensed data 81:290
Mukelabai, M.: *See* Privette, J.L.
Muller, J.-P.: *See* Schaaf, C.B.
Mumby, P.J. and Edwards, A.J.: Mapping marine environments with IKONOS imagery: enhanced spatial resolution can deliver greater thematic accuracy 82:248
Myneni, R.B.: *See* Tian, Y.
Myneni, R.B.: *See* Zhang, Y.
Myneni, R.B., Hoffman, S., Knyazikhin, Y., Privette, J.L., Glassy, J., Tian, Y., Wang, Y., Song, X., Zhang, Y., Smith, G.R., Lotsch, A., Friedl, M., Morisette, J.T., Votava, P., Nemani, R.R. and Running, S.W.: Global products of vegetation leaf area and fraction absorbed PAR from year one of MODIS data 83:214
Myneni, R.B.: *See* Privette, J.L.

Næsset, E. and Økland, T.: Estimating tree height and tree crown properties using airborne scanning laser in a boreal nature reserve 79:105
Næsset, E.: Predicting forest stand characteristics with airborne scanning laser using a practical two-stage procedure and field data 80:88
Nagel, D.E.: *See* Reese, H.M.
Nelson, M.D.: *See* McRoberts, R.E.
Nelson, M.D.: *See* McRoberts, R.E.
Nemani, R.R.: *See* Myneni, R.B.
Nezlin, N.P.: *See* Caldeira, R.M.A.
Ni, I.-H.: *See* Tang, D.
Nilsson, M.: *See* Tomppo, E.
Nishihama, M.: *See* Wolfe, R.E.
Nixon, M.S.: *See* Tatem, A.J.
North, P.R.J.: Estimation of f_{APAR}, LAI, and vegetation fractional cover from ATSR-2 imagery 80:114

Oerlemans, J.: *See* Greuell, W.
Ogurcak, D.: *See* Laba, M.
Ohde, T., Sturm, B. and Siegel, H.: Derivation of SeaWiFS vicarious calibration coefficients using in situ measurements in Case 2 water of the Baltic Sea 80:248
O'Hirok, W.: *See* Wyser, K.
Okawara, N.: *See* Masuda, K.
Økland, T.: *See* Næsset, E.
Olesen, F.S.: *See* Göttsche, F.-M.
Olioso, A.: *See* Jacob, F.
Olmanson, L.G.: *See* Kloiber, S.M.
Olsen, H.W.: *See* Chabrillat, S.
Olsen, N.R.B.: *See* Hedger, R.D.
O'Neill, A.L., Kupiec, J.A. and Curran, P.J.: Biochemical and reflectance variation throughout a Sitka spruce canopy 80:134
Ouaidrari, H., Goward, S.N., Czajkowski, K.P., Sobrino, J.A. and Vermote, E.: Land surface temperature estimation from AVHRR thermal infrared measurements An assessment for the AVHRR Land Pathfinder II data set 81:114
Owens, J.: *See* Justice, C.O.
Ozdogan, M.: *See* Tian, Y.
Ozdogan, M.: *See* Tian, Y.

Parker Williams, A. and Hunt Jr. ,E.R.: Estimation of leafy spurge cover from hyperspectral imagery using mixture tuned matched filtering 82:446
Parra, M.: *See* Froidefond, J.-M.
Patt, F.S.: *See* Wolfe, R.E.
Pattey, E.: *See* Strachan, I.B.
Pavlic, G.: *See* Chen, J.M.
Peñuelas, J.: *See* Serrano, L.
Peddle, D.R.: *See* Chen, J.M.
Pedersen, L.T.: *See* Garrity, C.
Pekkarinen, A.: Image segment-based spectral features in the estimation of timber volume 82:349
Pelgrum, H.: *See* Schmugge, T.
Pellikka, P.K.E.: *See* Chen, J.M.
Pereira, J.M.C.: *See* Stroppiana, D.
Pereira Jr., R.: *See* Asner, G.P.
Petitcolin, F. and Vermote, E.: Land surface reflectance, emissivity and temperature from MODIS middle and thermal infrared data 83:112
Petitcolin, F.: *See* Justice, C.O.
Petrou, M.: *See* Liangrocapart, S.
Pilger, E.: *See* Wright, R.
Pilgrim, D.: *See* Caldeira, R.M.A.
Pinnock, S.: *See* Stroppiana, D.
Pinty, B.: *See* Ceccato, P.
Pitt, D.G.: *See* Pouliot, D.A.
Pouliot, D.A., King, D.J., Bell, F.W. and Pitt, D.G.: Automated tree crown detection and delineation in high-resolution digital camera imagery of coniferous forest regeneration 82:322
Prince, S.D.: *See* Drake, J.B.
Prince, S.D.: *See* Gleason, A.C.R.
Privette, J.L.: *See* Morisette, J.T.

Privette, J.L.: *See* Myneni, R.B.
Privette, J.L.: *See* Schaaf, C.B.
Privette, J.L.: *See* Tian, Y.
Privette, J.L., Myneni, R.B., Knyazikhin, Y., Mukelabai, M., Roberts, G., Tian, Y., Wang, Y. and Leblanc, S.G.: Early spatial and temporal validation of MODIS LAI product in the Southern Africa Kalahari 83:232
Pulliainen, J.: *See* Koponen, S.
Pulliainen, J.: *See* Metsämäki, S.
Pulliainen, J.: *See* Zhang, Y.
Pultz, T.J.: *See* McNairn, H.

Qi, J.: *See* Inoue, Y.
Qi, J.: *See* Moran, M.S.
Qin, W., Gerstl, S.A.W., Deering, D.W. and Goel, N.S.: Characterizing leaf geometry for grass and crop canopies from hotspot observations: A simulation study 80:100
Qingxi, T.: *See* Weidong, L.

Radeloff, V.C.: *See* Dymond, C.C.
Ragni, M.: *See* D'Ortenzio, F.
Rainey, M.P.: *See* Bryant, R.G.
Ramesh Kumar, M.R. and Schulz, J.: Analysis of freshwater flux climatology over the Indian Ocean using the HOAPS data 80:363
Rango, A.: *See* Schmugge, T.
Ranson, K.J.: *See* Sun, G.
Rasmussen, K.: *See* Sandholt, I.
Realmuto, V.J.: *See* Buongiorno, M.F.
Reese, H.M., Lillesand, T.M., Nagel, D.E., Stewart, J.S., Goldmann, R.A., Simmons, T.E., Chipman, J.W. and Tessar, P.A.: Statewide land cover derived from multiseasonal Landsat TM dataA retrospective of the WISCLAND project 82:224
Reijmer, C.H.: *See* Greuell, W.
Riaño, D., Chuvieco, E., Ustin, S., Zomer, R., Dennison, P., Roberts, D. and Salas, J.: Assessment of vegetation regeneration after fire through multitemporal analysis of AVIRIS images in the Santa Monica Mountains 79:60
Ribera d'Alcalà, M.: *See* D'Ortenzio, F. 82:79
Riggs, G.A.: *See* Hall, D.K.
Ritchie, J.C.: *See* Schmugge, T.
Rivard, B.: *See* Bechtel, R.
Roberts, D.: *See* Riaño, D.
Roberts, D.A.: *See* Rogan, J.
Roberts, G.: *See* Schaaf, C.B.
Roberts, G.: *See* Privette, J.L.
Rodriguez, E.P.: *See* Huete, A.
Rogan, J., Franklin, J. and Roberts, D.A.: A comparison of methods for monitoring multitemporal vegetation change using Thematic Mapper imagery 80:143
Rojas, F., Schowengerdt, R.A. and Biggar, S.F.: Early results on the characterization of the Terra MODIS spatial response 83:50
Rosengren, M.: *See* Tomppo, E.
Roujean, J.-L.: *See* Lacaze, R.
Roujean, J.-L.: *See* van Leeuwen, W.J.D.
Roy, D.: *See* Justice, C.O.
Roy, D.: *See* Schaaf, C.B.
Roy, D.P.: *See* Justice, C.O.
Roy, D.P.: *See* Wolfe, R.E.
Roy, D.P., Borak, J.S., Devadiga, S., Wolfe, R.E., Zheng, M. and Descloitres, J.: The MODIS Land product quality assessment approach 83:62
Roy, D.P., Lewis, P.E. and Justice, C.O.: Burned area mapping using multi-temporal moderate spatial resolution data—a bi-directional reflectance model-based expectation approach 83:263
Rundquist, B.C.: The influence of canopy green vegetation fraction on spectral measurements over native tallgrass prairie 81:129
Rundquist, D.: *See* Gitelson, A.A.
Running, S.W.: *See* Myneni, R.B.
Ryu, J.-H., Won, J.-S. and Min, K.D.: Waterline extraction from Landsat TM data in a tidal flatA case study in Gomso Bay, Korea 83:443

Sabbe, H.: *See* Veroustraete, F.
Sabol Jr., D.E., Gillespie, A.R., Adams, J.B., Smith, M.O. and Tucker, C.J.: Structural stage in Pacific Northwest forests estimated using simple mixing models of multispectral images 80:1
Sader, S.A.: *See* Wilson, E.H.
Salas, J.: *See* Riaño, D.
Saleous, N.: *See* Justice, C.O.
Salinas-Zavala, C.A., Douglas, A.V. and Diaz, H.F.: Interannual variability of NDVI in northwest Mexico. Associated climatic mechanisms and ecological implications 82:417
Salisbury, J.: *See* Kirkland, L.
Salomonson, V.V.: *See* Guenther, B.
Salomonson, V.V.: *See* Hall, D.K.
Salomonson, V.V.: *See* Wan, Z.
Sánchez-Azofeifa, A.: *See* Bechtel, R.
Sandholt, I., Rasmussen, K. and Andersen, J.: A simple interpretation of the surface temperature/vegetation index space for assessment of surface moisture status 79:213
Santoleri, R.: *See* D'Ortenzio, F.
Santoro, M., Askne, J., Smith, G. and Fransson, J.E.S.: Stem volume retrieval in boreal forests from ERS-1/2 interferometry 81:19
Scanlon, T.M., Albertson, J.D., Caylor, K.K. and Williams, C.A.: Determining land surface fractional cover from NDVI and rainfall time series for a savanna ecosystem 82:376
Schaaf, C.: *See* Friedl, M.A.
Schaaf, C.: *See* Liang, S.
Schaaf, C.B., Gao, F., Strahler, A.H., Lucht, W., Li, X., Tsang, T., Strugnell, N.C., Zhang, X., Jin, Y., Muller, J.-P., Lewis, P., Barnsley, M., Hobson, P.,

Disney, M., Roberts, G., Dunderdale, M., Doll, C., d'Entremont, R.P., Hu, B., Liang, S., Privette, J.L. and Roy, D.: First operational BRDF, albedo nadir reflectance products from MODIS 83:135
Schelde, K.: *See* Boegh, E.
Schmugge, T., French, A., Ritchie, J.C., Rango, A. and Pelgrum, H.: Temperature and emissivity separation from multispectral thermal infrared observations 79:189
Schneider, A.: *See* Friedl, M.A.
Schowengerdt, R.A.: *See* Rojas, F.
Schulz, J.: *See* Ramesh Kumar, M.R.
Serrano, L., Peñuelas, J. and Ustin, S.L.: Remote sensing of nitrogen and lignin in Mediterranean vegetation from AVIRIS dataDecomposing biochemical from structural signals 81:355
Settle, J.: *See* Silvestri, S.
Shabanov, N.: *See* Zhang, Y.
Shabanov, N.V.: *See* Tian, Y.
Shabanov, N.V.: *See* Tian, Y.
Shimabukuro, Y.E.: *See* Almeida-Filho, R.
Shirey, D.: *See* Czajkowski, K.P.
Shoshany, M. and Svoray, T.: Multidate adaptive unmixing and its application to analysis of ecosystem transitions along a climatic gradient 82:5
Shuey, C.J.: *See* Liang, S.
Siegel, H.: *See* Ohde, T.
Silvestri, S., Marani, M., Settle, J., Benvenuto, F. and Marani, A.: Salt marsh vegetation radiometryData analysis and scaling 80:473
Simmons, T.E.: *See* Reese, H.M.
Sims, D.A. and Gamon, J.A.: Relationships between leaf pigment content and spectral reflectance across a wide range of species, leaf structures and developmental stages 81:337
Small, C.: Multitemporal analysis of urban reflectance 81:427
Smith, G.: *See* Santoro, M.
Smith, G.R.: *See* Myneni, R.B.
Small, J.: *See* Gleason, A.C.R.
Small, J.: *See* Lakshmi, V.
Smith, M.O.: *See* Sabol Jr. ,D.E.
Sobrino, J.A.: *See* Ouaidrari, H.
Soegaard, H.: *See* Boegh, E.
Soegaard, H.: *See* Boegh, E.
Sohlberg, R.: *See* Hansen, M.C.
Sohlberg, R.: *See* Hansen, M.C.
Sohlberg, R.A.: *See* Zhan, X.
Sommer, S.: *See* García-Haro, F.J.
Song, C. and Woodcock, C.E.: The spatial manifestation of forest succession in optical imageryThe potential of multiresolution imagery 82:271
Song, C., Woodcock, C.E. and Li, X.: The spectral/temporal manifestation of forest succession in optical imageryThe potential of multitemporal imagery 82:285
Song, X.: *See* Myneni, R.B.
Stark, R.: *See* Gitelson, A.A.
Stewart, J.S.: *See* Reese, H.M.
Storey, J.C.: *See* Wolfe, R.E.
Stow, D.A. and Chen, D.M.: Sensitivity of multitemporal NOAA AVHRR data of an urbanizing region to land-use/land-cover changes and misregistration 80:297
Strachan, I.B., Pattey, E. and Boisvert, J.B.: Impact of nitrogen and environmental conditions on corn as detected by hyperspectral reflectance 80:213
Strahler, A.: *See* Liang, S.
Strahler, A.H.: *See* Friedl, M.A.
Strahler, A.H.: *See* Muchoney, D.M.
Strahler, A.H.: *See* Schaaf, C.B.
Strandstrom, M.: *See* Gemmell, F.
Stroppiana, D., Pinnock, S., Pereira, J.M.C. and Grégoire, J.-M.: Radiometric analysis of SPOT-VEGETATION images for burnt area detection in Northern Australia 82:21
Strugnell, N.C.: *See* Schaaf, C.B.
Sturm, B.: *See* Ohde, T.
Sucksdorff, Y.: *See* Metsämäki, S.
Sun, G., Ranson, K.J. and Kharuk, V.I.: Radiometric slope correction for forest biomass estimation from SAR data in the Western Sayani Mountains, Siberia 79:279
Surdyk, S.: Using microwave brightness temperature to detect short-term surface air temperature changes in Antarctica: An analytical approach 80:256
Svoray, T.: *See* Shoshany, M.
Swift, E.: *See* Chen, J.M.
Swift, R.N.: *See* Hwang, P.A.

Tamura, M.: *See* Matsushita, B.
Tang, D., Kawamura, H. and Luis, A.J.: Short-term variability of phytoplankton blooms associated with a cold eddy in the northwestern Arabian Sea 81:82
Tang, D., Kester, D.R., Ni, I.-H., Kawamura, H. and Hong, H.: Upwelling in the Taiwan Strait during the summer monsoon detected by satellite and shipboard measurements 83:458
Tarantola, S.: *See* Ceccato, P.
Tatem, A.J., Lewis, H.G., Atkinson, P.M. and Nixon, M.S.: Super-resolution land cover pattern prediction using a Hopfield neural network 79:1
Taylor, G.R.: *See* Dehaan, R.L.
Teillet, P.M.: *See* Du, Y.
Ternon, J.-F.: *See* Froidefond, J.-M.
Tessar, P.A.: *See* Reese, H.M.
Thiemann, S. and Kaufmann, H.: Lake water quality monitoring using hyperspectral airborne data—a semi-empirical multisensor and multitemporal approach for the Mecklenburg Lake District, Germany 81:228
Thomas, A., Byrne, D. and Weatherbee, R.: Coastal sea surface temperature variability from Landsat infrared data 81:262
Thomsen, A.: *See* Boegh, E.
Thomsen, A.: *See* Boegh, E.

Tian, Y.: *See* Zhang, Y.
Tian, Y., Woodcock, C.E., Wang, Y., Privette, J.L., Shabanov, N.V., Zhou, L., Zhang, Y., Buermann, W., Dong, J., Veikkanen, B., Häme, T., Andersson, K., Ozdogan, M., Knyazikhin, Y. and Myneni, R.B.: Multi-scale analysis and validation of the MODIS LAI productI. Uncertainty assessment 83:415
Tian, Y., Woodcock, C.E., Wang, Y., Privette, J.L., Shabanov, N.V., Zhou, L., Zhang, Y., Buermann, W., Dong, J., Veikkanen, B., Häme, T., Andersson, K., Ozdogan, M., Knyazikhin, Y. and Myneni, R.B.: Multi-scale analysis and validation of the MODIS LAI productII. Sampling strategy 83:432
Tian, Y.: *See* Myneni, R.B.
Tian, Y.: *See* Privette, J.L.
Tieszen, L.L.: *See* Wylie, B.K.
Tokuno, M.: *See* Masuda, K.
Tomppo, E., Nilsson, M., Rosengren, M., Aalto, P. and Kennedy, P.: Simultaneous use of Landsat-TM and IRS-1C WiFS data in estimating large area tree stem volume and aboveground biomass 82:156
Tourbier, Y.: *See* Bacour, C.
Townsend, P.A.: Estimating forest structure in wetlands using multitemporal SAR 79:288
Townshend, J.R.G.: *See* Huang, C.
Townshend, J.R.G.: *See* Hansen, M.C.
Townshend, J.R.G.: *See* Zhan, X.
Townshend, J.R.G.: *See* Justice, C.O.
Townshend, J.R.G. and Justice, C.O.: Towards operational monitoring of terrestrial systems by moderate-resolution remote sensing 83:351
Treiman, A.: *See* Kirkland, L.
Tremblay, N.: *See* Haboudane, D.
Trishchenko, A.P., Cihlar, J. and Li, Z.: Effects of spectral response function on surface reflectance and NDVI measured with moderate resolution satellite sensors 81:1
Trofymow, J.A.: *See* Chen, J.M.
Tsang, T.: *See* Schaaf, C.B.
Tucker, C.J.: *See* Sabol Jr. ,D.E.
Turner, D.P., Gower, S.T., Cohen, W.B., Gregory, M. and Maiersperger, T.K.: Effects of spatial variability in light use efficiency on satellite-based NPP monitoring 80:397

Uratsuka, S.: *See* Inoue, Y.
Ustin, S.: *See* Riaño, D.
Ustin, S.L.: *See* Serrano, L.

Van der Sanden, J.: *See* Chen, J.M.
Van Leeuwen, W.J.D. and Roujean, J.-L.: Land surface albedo from the synergistic use of polar (EPS) and geo-stationary (MSG) observing systemsAn assessment of physical uncertainties 81:273
Varjo, J.: *See* Gemmell, F.
Veikkanen, B.: *See* Tian, Y.
Veikkanen, B.: *See* Tian, Y.
Vepsäläinen, J.: *See* Metsämäki, S.
Verhoeye, J. and De Wulf, R.: Land cover mapping at sub-pixel scales using linear optimization techniques 79:96
Vermote, E.: *See* Ouaidrari, H.
Vermote, E.: *See* Petitcolin, F.
Vermote, E.F.: *See* Justice, C.O.
Vermote, E.F., El Saleous, N.Z. and Justice, C.O.: Atmospheric correction of MODIS data in the visible to middle infrared: first results 83:97
Veroustraete, F., Sabbe, H. and Eerens, H.: Estimation of carbon mass fluxes over Europe using the C-Fix model and Euroflux data 83:377
Verseghy, D.: *See* Bussières, N.
Vesperini, M.: ECMWF analyses of humidity: comparisons to POLDER estimates over land 82:469
Votava, P.: *See* Myneni, R.B.

Walthall, C.: *See* Liang, S.
Walz, A.: *See* Czajkowski, K.P.
Wan, Z.: Estimate of noise and systematic error in early thermal infrared data of the Moderate Resolution Imaging Spectroradiometer (MODIS) 80:47
Wan, Z., Zhang, Y., Li, Z.-l., Wang, R., Salomonson, V.V., Yves, A., Bosseno, R. and Hanocq, J.F.: Preliminary estimate of calibration of the moderate resolution imaging spectroradiometer thermal infrared data using Lake Titicaca 80:497
Wan, Z., Zhang, Y., Zhang, Q. and Li, Z.-l.: Validation of the land-surface temperature products retrieved from Terra Moderate Resolution Imaging Spectroradiometer data 83:163
Wang, G.: *See* Gertner, G.
Wang, M. and Gordon, H.R.: Calibration of ocean color scanners: how much error is acceptable in the near infrared? 82:497
Wang, R.: *See* Wan, Z.
Wang, Y.: *See* Myneni, R.B.
Wang, Y.: *See* Privette, J.L.
Wang, Y.: *See* Tian, Y.
Weatherbee, R.: *See* Thomas, A.
Weidong, L., Baret, F., Xingfa, G., Qingxi, T., Lanfen, Z. and Bing, Z.: Relating soil surface moisture to reflectance 81:238
Weishampel, J.F.: *See* Drake, J.B.
Weiss, M.: *See* Jacob, F.
Wendt, D.G.: *See* McRoberts, R.E.
Wendt, D.G.: *See* McRoberts, R.E.
White, H.P.: *See* Chen, J.M.
Williams, C.A.: *See* Scanlon, T.M.
Wilson, E.H. and Sader, S.A.: Detection of forest harvest type using multiple dates of Landsat TM imagery 80:385
Winsor, P.: *See* Dokken, S.T.
Wolfe, R.E.: *See* Justice, C.O.
Wolfe, R.E.: *See* Roy, D.P.
Wolfe, R.E., Nishihama, M., Fleig, A.J., Kuyper, J.A., Roy, D.P., Storey, J.C. and Patt, F.S.: Achieving sub-

pixel geolocation accuracy in support of MODIS land science 83:31
Won, J.-S.: *See* Ryu, J.-H.
Wood, D., McNairn, H., Brown, R.J. and Dixon, R.: The effect of dew on the use of RADARSAT-1 for crop monitoringChoosing between ascending and descending orbits 80:241
Wood, D., McNairn, H., Brown, R.J. and Dixon, R.: Erratum to The effect of dew on the use of RADARSAT-1 for crop monitoringChoosing between ascending and descending orbits [Remote Sensing of Environment 80/2 (2002 241–247)] 81:456
Woodcock, C.E.: *See* Friedl, M.A.
Woodcock, C.E.: *See* Tian, Y.
Woodcock, C.E.: *See* Song, C.
Woodcock, C.E.: *See* Zhang, Y.
Wright, R., Flynn, L., Garbeil, H., Harris, A. and Pilger, E.: Automated volcanic eruption detection using MODIS 82:135
Wright, W.: *See* Hwang, P.A.
Wylie, B.K., Meyer, D.J., Tieszen, L.L. and Mannel, S.: Satellite mapping of surface biophysical parameters at the biome scale over the North American grasslandsA case study 79:266
Wyser, K., O'Hirok, W., Gautier, C. and Jones, C.: Remote sensing of surface solar irradiance with corrections for 3-D cloud effects 80:272

Xiao, X., Boles, S., Liu, J., Zhuang, D. and Liu, M.: Characterization of forest types in Northeastern China, using multi-temporal SPOT-4 VEGETATION sensor data 82:335
Xingfa, G.: *See* Weidong, L.
Xiong, X.: *See* Guenther, B.
Xue, Y.: *See* Goward, S.N.

Yool, S.R.: *See* Miller, J.D.
Yoshizaki, Y.: *See* Masuda, K.
Young, J.: *See* Guenther, B.
Yves, A.: *See* Wan, Z.

Zarco-Tejada, P.J.: *See* Haboudane, D.
Zhan, X., Sohlberg, R.A., Townshend, J.R.G., DiMiceli, C., Carroll, M.L., Eastman, J.C., Hansen, M.C. and DeFries, R.S.: Detection of land cover changes using MODIS 250 m data 83:336
Zhang, Q.: *See* Wan, Z.
Zhang, X.: *See* Schaaf, C.B.
Zhang, X.Y.: *See* Friedl, M.A.
Zhang, Y., Tian, Y., Myneni, R.B., Knyazikhin, Y. and Woodcock, C.E.: Assessing the information content of multiangle satellite data for mapping biomesI. Statistical analysis 80:418
Zhang, Y.: *See* Myneni, R.B.
Zhang, Y.: *See* Tian, Y.
Zhang, Y.: *See* Wan, Z.
Zhang, Y., Pulliainen, J., Koponen, S. and Hallikainen, M.: Application of an empirical neural network to surface water quality estimation in the Gulf of Finland using combined optical data and microwave data 81:327
Zhang, Y., Guindon, B. and Cihlar, J.: An image transform to characterize and compensate for spatial variations in thin cloud contamination of Landsat images 82:173
Zhang, Y., Shabanov, N., Knyazikhin, Y. and Myneni, R.B.: Assessing the information content of multiangle satellite data for mapping biomesII. Theory 80:435
Zheng, M.: *See* Roy, D.P.
Zhou, L.: *See* Tian, Y.
Zhou, L.: *See* Tian, Y.
Zhu, G. and Blumberg, D.G.: Classification using ASTER data and SVM algorithms;The case study of Beer Sheva, Israel 80:233
Zhuang, D.: *See* Xiao, X.
Zomer, R.: *See* Riaño, D.
Zweede, J.C.: *See* Asner, G.P.

ELSEVIER

Remote Sensing of Environment 83 (2002) 522–539

Remote Sensing of Environment

www.elsevier.com/locate/rse

Subject Index for Volumes 79–83

Accuracy Assessment

Status of land cover classification accuracy assessment, Giles M. Foody, 80:185

Conventional and fuzzy accuracy assessment of the New York Gap Analysis Project land cover map, M. Laba et al., 81:443

Chance correction and map evaluation, Goksel Turk, 82:1

Response to letter by G. Turk on chance correction and map evaluation, Stephen V. Stehman, 82:4

Impacts of vegetation dynamics on the identification of land-cover change in a biologically complex community in North Carolina, USA, Ross S. Lunetta, Jayantha Ediriwickrema, David M. Johnson, John G. Lyon and Alexa McKerrow, 82:258

Development of a MODIS tree cover validation data set for Western Province, Zambia, M.C. Hansen, R.S. DeFries, J.R.G. Townshend, L. Marufu and R. Sohlberg, 83:320

A framework for the validation of MODIS land products, J.T. Morisette and J.L. Privette, 83:77

The MODIS land product quality assessment approach, D.P. Roy, J.S. Borak, S. Devadiga, R.E. Wolfe, M. Zheng and J. Descloitres, 83:62

Multiscale analysis and validation of the MODIS LAI product over Maun, Botswana II. Sampling Strategy, Y. Tian, 83:431

Albedo

Mapping short-wave albedo of agricultural surfaces using airborne PolDER data, F. Jacob, A. Olioso, M. Weiss, F. Baret and O. Hautecoeur, 80:36

Land surface albedo from the synergistic use of polar (EPS) and geo-stationary (MSG) observing systems – An assessment of physical uncertainties, Willem J.D. van Leeuwen and Jean-Louis Roujean, 81:273

Narrowband-to-broadband albedo conversion for glacier ice and snow based on aircraft and near-surface measurements, Wouter Greuell, Carleen H. Reijmer and Johannes Oerlemans, 82:48

Narrowband to broadband conversitons of land surface albedo: II. validation, S. Liang, 00:00

Validating MODIS land surface reflectance and albedo products: methods and preliminary results, S. Liang, H. Fang, M. Chen, C.J. Shuey, C. Walthall, C. Daughtry, J. Morisette, C. Schaaf and A. Strahler, 83:149

First operational BRDF, albedo and nadir reflectance products from MODIS, C.B. Schaaf, F. Gao, A.H. Strahler, W. Lucht, X. Li, T. Tsang, N.C. Strugnell, X. Zhang, Y. Jin, J.-P. Muller, P. Lewis, M. Barnsley, P. Hobson, M. Disney, G. Roberts, M. Dunderdale, C. Doll, R.P. d'Entremont, B. Hu, S. Liang, J.L. Privette, D. Roy, 83:135

Altimetry

A new look at the zonal pattern of the marine wind system from TOPEX measurements, Ge Chen, Robert Ezraty, Chaoyang Fang and Lixin Fang, 79:15

Estimating tree height and tree crown properties using airborne scanning laser in a boreal nature reserve, Erik Næsset and Tonje Økland, 79:105

Estimation of tropical forest structural characteristics using large-footprint lidar, Jason B. Drake et al., 79:305

Airborne remote sensing of breaking waves, Paul A. Hwang, Wayne Wright, William B. Krabill and Robert N. Swift, 80:65

Predicting forest stand characteristics with airborne scanning laser using a practical two-stage procedure and field data, Erik Næsset, 80:88

Sensitivity of large-footprint lidar to canopy structure and biomass in a neotropical rainforest, Jason B. Drake, Ralph O. Dubayah, Robert G. Knox, David B. Clark and J.B. Blair, 81:378

Remote sensing of forest pigments using airborne imaging spectrometer and LIDAR imagery, George Alan Blackburn, 82:311

Integration of lidar and Landsat ETM+ data for estimating and mapping forest canopy height, Andrew T. Hudak, Michael A. Lefsky, Warren B. Cohen and Mercedes Berterretche, 82:397

Area Estimation

Stratified estimation of forest area using satellite imagery, inventory data, and the k-Nearest Neighbors technique, Ronald E. McRoberts, Mark D. Nelson and Daniel G. Wendt, 82:457

ASTER

Temperature and emissivity separation from multispectral thermal infrared observations, Thomas Schmugge, Andrew French, Jerry C. Ritchie, Albert Rango and Henk Pelgrum, 79:189

0034-4257/02/$ - see front matter © 2002 Elsevier Science Inc. All rights reserved.
S0034-4257(02)00152-9

Classification using ASTER data and SVM algorithms; – The case study of Beer Sheva, Israel, Guobin Zhu and Dan G. Blumberg, 80:233
Sea-surface signatures of the island mass effect phenomena around Madeira Island, Northeast Atlantic, R.M.A. Caldeira, S. Groom, P. Miller, D. Pilgrim and N.P. Nezlin, 80:336

Atmospheric Correction and Modeling

Recovery of spectral emissivity from Thermal Infrared Multispectral Scanner imagery acquired over a mountainous terrain – A case study from Mount Etna Sicily, M.F. Buongiomo, V.J. Realmuto and Fawzi Doumaz, 79:123
Atmospheric correction for airborne sensors: Comment on a scheme used for CASI, Chuanmin Hu and Kendall L. Carder, 79:134
Evolution of neural networks for radiative transfer calculations in the terrestrial infrared, Frank-M. Göttsche and Folke S. Olesen, 80:157
An image transform to characterize and compensate for spatial variations in thin cloud contamination of Landsat images, Y. Zhang, B. Guindon and J. Cihlar, 82:173
Atmospheric correction of MODIS data in the visible to middle infrared: first results, E.F. Vermote and N.Z. El Saleous, 83:97

Atmosphere Properties

Evaluating evapotranspiration rates and surface conditions using Landsat TM to estimate atmospheric resistance and surface resistance, E. Boegh, H. Soegaard and A. Thomsen, 79:329
Estimation of aerosol optical depth by applying the optimal distance number to NOAA AVHRR data, Gin-Rong Liu, Tang-Huang Lin and Tsung-Hua Kuo, 81:247

AVHRR

Effects of orbital drift on land surface temperature measured by AVHRR thermal sensors, Arthur C.R. Gleason, Stephen D. Prince, Scott J. Goetz and Jennifer Small, 79:147
The potential of Pathfinder AVHRR data for providing surrogate climatic variables across Africa and Europe for epidemiological applications, Robert M. Green and Simon I. Hay, 79:166
Comparison of surface meteorological variables from TOVS and AVHRR, Venkataraman Lakshmi, Jennifer Small and Scott Goetz, 79:176
Using covariates to spatially interpolate moisture availability in the Murray-Darling Basin – A novel use of remotely sensed data, Tim R. McVicar and David L.B. Jupp, 79:199
Derivation and validation of Canada-wide coarse-resolution leaf area index maps using high-resolution satellite imagery and ground measurements, J.M. Chen et al., 80:165
Sensitivity of multitemporal NOAA AVHRR data of an urbanizing region to land-use/land-cover changes and misregistration, Douglas A. Stow and Dong Mei Chen, 80:297
The evolution of AVHRR-derived water temperatures over boreal lakes, Normand Bussières, Diana Verseghy and J. Ian MacPherson, 80:373
Effects of spectral response function on surface reflectance and NDVI measured with moderate resolution satellite sensors, Alexander P. Trishchenko, Josef Cihlar and Zhanqing Li, 81:1
Land surface temperature estimation from AVHRR thermal infrared measurements – An assessment for the AVHRR Land Pathfinder II data set, H. Ouaidrari, S.N. Goward, K.P. Czajkowski, J.A. Sobrino and E. Vermote, 81:114
Estimation of aerosol optical depth by applying the optimal distance number to NOAA AVHRR data, Gin-Rong Liu, Tang-Huang Lin and Tsung-Hua Kuo, 81:247
Land surface albedo from the synergistic use of polar (EPS) and geo-stationary (MSG) observing systems – An assessment of physical uncertainties, Willem J.D. van Leeuwen and Jean-Louis Roujean, 81:273
Pixel – and site-based calibration and validation methods for evaluating supervised classification of remotely sensed data, Douglas M. Muchoney and Alan H. Strahler, 81:290
Definition of a radiosounding database for sea surface brightness temperature simulations – Application to sea surface temperature retrieval algorithm determination, Christopher François, A. Brisson, P. Le Borgne and A. Marsouin, 81:309
Improved linear interpolation method for the estimation of snow-covered area from optical data, Sari Metsämäki, Jenni Vepsäläinen, Jouni Pulliainen and Yrjö Sucksdorff, 82:64
Investigation of flood inundation on playas within the Zone of Chotts, using a time-series of AVHRR, R.G. Bryant and M.P. Rainey, 82:360
Determining land surface fractional cover from NDVI and rainfall time series for a savanna ecosystem, Todd M. Scanlon, John D. Albertson, Kelly K. Caylor and Chris A. Williams, 82:376
Interannual variability of NDVI in northwest Mexico. Associated climatic mechanisms and ecological implications, C.A. Salinas-Zavala, A.V. Douglas and H.F. Diaz, 82:417
Towards an operational MODIS continuous field of percent tree cover algorithm: examples using AVHRR and MODIS data, M.C. Hansen, R.S. DeFries, J.R.G. Townshend, R. Sohlberg, C. Dimiceli and M. Carroll, 83:303

AVIRIS

Assessment of vegetation regeneration after fire through multitemporal analysis of AVIRIS images in the Santa Monica Mountains, D. Riaño et al., 79:60
Remote sensing of nitrogen and lignin in Mediterranean vegetation from AVIRIS data – Decomposing biochem-

ical from structural signals, Lydia Serrano, Josep Peñuelas and Susan L. Ustin, 81:355

Bathymetry

Spot shallow water bathymetry of a moderately turbid tidal inlet based on field measurements, V. Lafon, J.M. Froidefond, F. Lahet and P. Castaing, 81:136

Biochemistry

Biochemical and reflectance variation throughout a Sitka spruce canopy, A.L. O'Neill, J.A. Kupiec and P.J. Curran, 80:134

Biomass

Retrieval biomass of a large Venezuelan pine plantation using JERS-1 SAR data. Analysis of forest structure impact on radar signature, Thierry Castel, Francisco Guerra, Yves Caraglio and François Houllier, 79:30

Radiometric slope correction for forest biomass estimation from SAR data in the Western Sayani Mountains, Siberia, G. Sun, K.J. Ranson and V.I. Kharuk, 79:279

Simultaneous use of Landsat-TM and IRS-1C WiFS data in estimating large area tree stem volume and aboveground biomass, Erkki Tomppo, Mats Nilsson, Mats Rosengren, Paula Aalto and Pamela Kennedy, 82:156

Biophysical

Recent advances in remote sensing of biophysical variables – An overview of the special issue, Scott J. Goetz, 79:145

Calibration

Derivation of SeaWIFS vicarious calibration coefficients using in situ measurements in Case 2 water of the Baltic Sea, T. Ohde, B. Sturn and H. Siegel, 80:248

Preliminary estimate of calibration of the moderate resolution imaging spectroradiometer thermal infrared data using Lake Titicaca, Zhengming Wan et al., 80:497

Effects of spectral response function on surface reflectance and NDVI measured with moderate resolution satellite sensors, Alexander P. Trishchenko, Josef Cihlar and Zhanqing Li, 81:1

Pixel – and site-based calibration and validation methods for evaluating supervised classification of remotely sensed data, Douglas M. Muchoney and Alan H. Strahler, 81:290

Radiometric normalization of multitemporal high-resolution satellite images with quality control for land cover change detection, Yong Du, Philippe M. Teillet and Josef Cihlar, 82:123

Calibration of ocean color scanners: how much error is acceptable in the near infrared? Menghua Wang and Howard R. Gordon, 82:497

Change Detection

Impacts of vegetation dynamics on the identification of land-cover change in a biologically complex community in North Carolina, USA, Ross S. Lunetta, Jayantha Ediriwickrema, David M. Johnson, John G. Lyon and Alexa McKerrow, 82:258

Detection of land cover changes using MODIS 250m data, X. Zhan, R.A. Sohlberg, J.R.G. Townshend, C. DiMiceli, M.L. Carroll, J.C. Eastman, M.C. Hansen and R.S. DeFries, 83:336

Chlorophyll

Lake water quality classification with airborne hyperspectral spectrometer and simulated MERIS data, Sampsa Koponen, Jouni Pulliainen, Kari Kallio and Martti Hallikainen, 79:51

Coupling remote sensing with computational fluid dynamics modelling to estimate lake chlorophyll-a concentration, Richard D. Hedger, Nils R.B. Olsen, Tim J. Malthus and Peter M. Atkinson, 79:116

Climate

The potential of Pathfinder AVHRR data for providing surrogate climatic variables across Africa and Europe for epidemiological applications, Robert M. Green and Simon I. Hay, 79:166

Multidate adaptive unmixing and its application to analysis of ecosystem transitions along a climatic gradient, Maxim Shoshany and Tal Svoray, 82:5

Interannual variability of NDVI in northwest Mexico. Associated climatic mechanisms and ecological implications, C.A. Salinas-Zavala, A.V. Douglas and H.F. Diaz, 82:417

Cloud Properties

Remote sensing of surface solar irradiance with corrections for 3-D cloud effects, Klaus Wyser, William O'Hirok, Catherine Gautier and Charles Jones, 80:272

Neural network retrieval of cloud parameters from high-resolution multispectral radiometric data – A feasibility study, Thierry Faure, Harumi Isaka and Bernard Guillemet, 80:285

An image transform to characterize and compensate for spatial variations in thin cloud contamination of Landsat images, Y. Zhang, B. Guindon and J. Cihlar, 82:173

Coastal Waters

Variation in the projected surface area of suspended particles: Implications for remote sensing assessment of TSM, Ole Aarup Mikkelsen, 79:23

Coupling remote sensing with computational fluid dynamics modelling to estimate lake chlorophyll-a concentration, Richard D. Hedger, Nils R.B. Olsen, Tim J. Malthus and Peter M. Atkinson, 79:116

Coastal optical properties estimated from airborne sensors – Reply to the comments by Hu and Carder, Richard W. Gould Jr. and Robert A. Arnone, 79:138

Spectral remote sensing reflectances of coastal waters in French Guiana under the Amazon influence, Jean-Marie

Froidefond, Laure Gardel, Daniel Guiral, Mario Parra and Jean-François Ternon, 80:225
SPOT shallow water bathymetry of a moderately turbid tidal inlet based on field measurements, V. Lafon, J.M. Froidefond, F. Lahet and P. Castaing, 81:136
Waterline extraction from Landsat Tm data, in a tidal flat: a case study in Gomso Bay, Korea, J-H. Ryu and J-S. Won, 83:442

Coral Reefs
Measuring and modeling water column effects on hyperspectral reflectances in a coral reef environment, Heather Holden and Ellsworth LeDrew, 81:300

Crop
Comparison of ERS-2 SAR and Landsat TM imagery for monitoring agricultural crop and soil conditions, M. Susan Moran, Daniel C. Hymer, Jiaguo Qi and Yann Kerr, 79:243
Mapping short-wave albedo of agricultural surfaces using airborne PolDER data, F. Jacob, A. Olioso, M. Weiss, F. Baret and O. Hautecoeur, 80:36
Impact of nitrogen and environmental conditions on corn as detected by hyperspectral reflectance, Ian B. Strachan, Elizabeth Pattey and Johanne B. Boisvert, 80:213
The effect of dew on the use of RADARSAT-1 for crop monitoring – Choosing between ascending and descending orbits, D. Wood, H. McNairn, R.J. Brown and R. Dixon, 80:241
The effect of soil and crop residue characteristics on polarimetric radar response, H. McNairn, C. Duguay, B. Brisco and T.J. Pultz, 80:308
Using a land cover classification based on satellite imagery to improve the precision of forest inventory area estimates, Ronald E. McRoberts, Daniel G. Wendt, Mark D. Nelson and Mark H. Hansen, 81:36
Airborne multispectral data for quantifying leaf area index, nitrogen concentration, and photosynthetic efficiency in agriculture, Eva Boegh et al., 81:179
Season-long daily measurements of multifrequency (Ka, Ku, X, C, and L) and full-polarization backscatter signatures over paddy rice field and their relationship with biological variables, Y. Inoue et al., 81:194
Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture, Driss Haboudane, John R. Miller, Nicolas Tremblay, Pablo J. Zarco-Tejada and Louise Dextraze, 81:416

Desert
Analysis of ERS wind scatterometer time series over Sahel (Mali), L. Jarlan, E. Mougin, P.L. Frison, P. Mazzega and P. Hiernaux, 81:404

Dune
An analysis of the current stability of the dune field at Great Sand Dunes National Monument using temporal TM imagery (1984-1998), J.R. Janke, 83:488

Ecology
Satellite mapping of surface biophysical parameters at the biome scale over the North American grasslands – A case study, B.K. Wylie, D.J. Meyer, L.L. Tieszen and S. Mannel, 79:266
Integrating remotely sensed data with an ecosystem model to estimate net primary productivity in East Asia, Bunkei Matsushita and Masayuki Tamura, 81:58

Emissivity
Recovery of spectral emissivity from Thermal Infrared Multispectral Scanner imagery acquired over a mountainous terrain – A case study from Mount Etna Sicily, M.F. Buongiomo, V.J. Realmuto and Fawzi Doumaz, 79:123
Temperature and emissivity separation from multispectral thermal infrared observations, Thomas Schmugge, Andrew French, Jerry C. Ritchie, Albert Rango and Henk Pelgrum, 79:189
Land surface reflectance, emissivity and temperature from MODIS middle and thermal infrared data, F. Petitcolin and E.F. Vermote, 83:112

Energy Balance
Evaluating evapotranspiration rates and surface conditions using Landsat TM to estimate atmospheric resistance and surface resistance, E. Boegh, H. Soegaard and A. Thomsen, 79:329
Forward and inverse modeling of land surface energy balance using surface temperature measurements, M.A. Friedl, 79:344

Environmental Monitoring
Digital processing of a Landsat-TM time series for mapping and monitoring degraded areas caused by independent gold miners, Roraima State, Brazilian Amazon, Raimundo Almeida-Filho and Yosio E. Shimabukuro, 79:42

Epidemiology
The potential of Pathfinder AVHRR data for providing surrogate climatic variables across Africa and Europe for epidemiological applications, Robert M. Green and Simon I. Hay, 79:166

Erratum
Erratum to the effect of dew on the use of RADARSAT-1 for crop monitoring – Choosing between ascending and descending orbits [Remote Sensing of Environment 80/

2(2002 241-247)], D. Wood, H. McNaim, R.J. Brown and R. Dixon, 81:456

Evapotranspiration

Evaluating evapotranspiration rates and surface conditions using Landsat TM to estimate atmospheric resistance and surface resistance, E. Boegh, H. Soegaard and A. Thomsen, 79:329

Fire

Assessment of vegetation regeneration after fire through multitemporal analysis of AVIRIS images in the Santa Monica Mountains, D. Riaño et al., 79:60

Radiometric analysis of SPOT-VEGETATION images for burnt area detection in Northern Australia, Daniela Stroppiana, Simon Pinnock, José M.C. Pereira and Jean-Marie Grégoire, 82:21

Estimating fire-related parameters in boreal forest using SPOT VEGETATION, R.H. Fraser and Z. Li, 82:95

The MODIS fire products, C.O. Justice, L. Giglio, S. Korontzi, J. Owens, J.T. Morisette, D. Roy, J. Descloitres, S. Alleaume, F. Petitcolin and Y. Kaufman, 83:244

Flood

Investigation of flood inundation on playas within the Zone of Chotts, using a time-series of AVHRR, R.G. Bryant and M.P. Rainey, 82:360

Forest

Retrieval biomass of a large Venezuelan pine plantation using JERS-1 SAR data. Analysis of forest structure impact on radar signature, Thierry Castel, Francisco Guerra, Yves Caraglio and François Houllier, 79:30

Estimating tree height and tree crown properties using airborne scanning laser in a boreal nature reserve, Erik Næsset and Tonje Økland, 79:105

Radiometric slope correction for forest biomass estimation from SAR data in the Western Sayani Mountains, Siberia, G. Sun, K.J. Ranson and V.I. Kharuk, 79:279

Estimating forest structure in wetlands using multitemporal SAR, Philip A. Townsend, 79:288

Estimation of tropical forest structural characteristics using large-footprint lidar, Jason B. Drake et al., 79:305

Recovery of forest canopy characteristics through inversion of a complex 3D model, D. Kimes, J. Gastellu-Etchegorry and P. Estève, 79:320

Structural stage in Pacific Northwest forests estimated using simple mixing models of multispectral images, Donald E. Sabol Jr., Alan R. Gillespie, John B. Adams, Milton O. Smith and Compton J. Tucker, 80:1

Predicting forest stand characteristics with airborne scanning laser using a practical two-stage procedure and field data, Erik Næsset, 80:88

Biochemical and reflectance variation throughout a Sitka spruce canopy, A.L. O'Neill, J.A. Kupiec and P.J. Curran, 80:134

Detection of forest harvest type using multiple dates of Landsat TM imagery, Emily Hoffhine Wilson and Steven A. Sader, 80:385

Phenological differences in Tasseled Cap indices improve deciduous forest classification, Caren C. Dymond, David J. Mladenoff and Volker C. Radeloff, 80:460

Remote sensing of selective logging in Amazonia–Assessing limitations based on detailed field observations, Landsat ETM+, and textural analysis, Gregory P. Asner, Michael Keller, Rodrigo Pereira Jr. and Johan C. Zweede, 80:483

Stem volume retrieval in boreal forests from ESR-1/2 interferometry, Maurizio Santoro, Jan Askne, Gary Smith and Johan E.S. Fransson, 81:19

Using a land cover classification based on satellite imagery to improve the precision of forest inventory area estimates, Ronald E. McRoberts, Daniel G. Wendt, Mark D. Nelson and Mark H. Hansen, 81:36

Comparison of measured boreal forest characteristics with estimates from TM data and limited ancillary information using reflectance model inversion, Fraser Gemmell, Jari Varjo, Mikael Strandstrom and Andres Kuusk, 81:365

Sensitivity of large-footprint lidar to canopy structure and biomass in a neotropical rainforest, Jason B. Drake, Ralph O. Dubayah, Robert G. Knox, David B. Clark and J.B. Blair, 81:378

Estimating fire-related parameters in boreal forest using SPOT VEGETATION, R.H. Fraser and Z. Li, 82:95

Simultaneous use of Landsat-TM and IRS-1C WiFS data in estimating large area tree stem volume and aboveground biomass, Erkki Tomppo, Mats Nilsson, Mats Rosengren, Paula Aalto and Pamela Kennedy, 82:156

The spatial manifestation of forest succession in optical imagery – The potential of multiresolution imagery, Conghe Song and Curtis E. Woodcock, 82:271

The spectral/temporal manifestation of forest succession in optical imagery – The potential of multitemporal imagery, Conghe Song, Curtis E. Woodcock and Xiaowen Li, 82:285

Remote sensing of forest pigments using airborne imaging spectrometer and LIDAR imagery, George Alan Blackburn, 82:311

Automated tree crown detection and delineation in high-resolution digital camera imagery of coniferous forest regeneration, D.A. Pouliot, D.J. King, F.W. Bell and D.G. Pitt, 82:322

Characterization of forest types in Northeastern China, using multi-temporal SPOT-4 VEGETATION sensor data, Xiangming Xiao, Stephen Boles, Jiyuan Liu, Dafang Zhuang and Mingliang Liu, 82:335

Integration of lidar and Landsat ETM+ data for estimating and mapping forest canopy height, Andrew T. Hudak, Michael A. Lefsky, Warren B. Cohen and Mercedes Berterretche, 82:397

Stratified estimation of forest area using satellite imagery, inventory data, and the k-Nearest Neighbors technique,

Ronald E. McRoberts, Mark D. Nelson and Daniel G. Wendt, 82:457
Mapping forest post-fire canopy consumption in several overstory types using multi-temporal Landsat TM and ETM data, Jay D. Miller and Stephen R. Yool, 82:481
Towards an operational MODIS continuous field of percent tree cover algorithm: examples using AVHRR and MODIS data, M.C. Hansen, R.S. DeFries, J.R.G. Townshend, R. Sohlberg, C. Dimiceli and M. Carroll, 83:303
Burned area mapping using multi-temporal moderate spatial resolution data – a bi-directional reflectance model-based expectation approach, D.P. Roy, P.E. Lewis and C.O. Justice, 83:263
Retrieval of tropical forest structure characteristics from bi-directional reflectance of spot images, P. Defourny and C. de Wasseige, 83:362

Geology
Linescan camera evaluation of SSM/I 85.5 Ghz sea ice retrieval, C. Garrity, D. Lubin and Grace Waterstone, 83:472

Glaciers
Narrowband-to-broadband albedo conversion for glacier ice and snow based on aircraft and near-surface measurements, Wouter Greuell, Carleen H. Reijmer and Johannes Oerlemans, 82:48

High Spatial Resolution
Mapping marine environments with IKONOS imagery: enhanced spatial resolution can deliver greater thematic accuracy, Peter J. Mumby and Alasdair J. Edwards, 82:248
Automated tree crown detection and delineation in high-resolution digital camera imagery of coniferous forest regeneration, D.A. Pouliot, D.J. King, F.W. Bell and D.G. Pitt, 82:322

Hydrology
Using covariates to spatially interpolate moisture availability in the Murray-Darling Basin – A novel use of remotely sensed data, Tim R. McVicar and David L.B. Jupp, 79:199

Hyperspectral
Lake water quality classification with airborne hyperspectral spectrometer and simulated MERIS data, Sampsa Koponen, Jouni Pulliainen, Kari Kallio and Martti Hallikainen, 79:51
Impact of nitrogen and environmental conditions on corn as detected by hyperspectral reflectance, Ian B. Strachan, Elizabeth Pattey and Johanne B. Boisvert, 80:213
Assessing the information content of multiangle satellite data for mapping biomes – I. Statistical analysis, Y. Zhang, Y. Tian, R.B. Myneni, Y. Knyazikhin and C.E. Woodcock, 80:418
Salt marsh vegetation radiometry – Data analysis and scaling, Sonia Silvestri, Marco Marani, Jeff Settle, Fabio Benvenuto and Alessandro Marani, 80:473
Airborne multispectral data for quantifying leaf area index, nitrogen concentration, and photosynthetic efficiency in agriculture, Eva Boegh et al., 81:179
Lake water quality monitoring using hyperspectral airborne data – a semiempirical multisensor and multitemporal approach for the Mecklenburg Lake District, Germany, Sabine Thiemann and Hermann Kaufmann, 81:228
Measuring and modeling water column effects on hyperspectral reflectances in a coral reef environment, Heather Holden and Ellsworth LeDrew, 81:300
Remote sensing of nitrogen and lignin in Mediterranean vegetation from AVIRIS data – Decomposing biochemical from structural signals, Lydia Serrano, Josep Peñuelas and Susan L. Ustin, 81:355
Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture, Driss Haboudane, John R. Miller, Nicolas Tremblay, Pablo J. Zarco-Tejada and Louise Dextraze, 81:416
Use of hyperspectral images in the identification and mapping clay soils and the role of spatial resolution, Sabine Chabrillat, Alexander F.H. Goetz, Lisa Krosley and Harold W. Olsen, 82:431
Estimation of leafy spurge cover from hyperspectral imagery using mixture tuned matched filtering, Amy Parker Williams and E. Raymond Hunt Jr., 82:446

Ice
ERS SAR characterization of coastal polynyas in the Arctic and comparison with SSM/I and numerical model investigations, Sverre Thune Dokken, Peter Winsor, Thorsten Markus, Jan Askne and Göran Björk, 80:321
Narrowband-to-broadband albedo conversion for glacier ice and snow based on aircraft and near-surface measurements, Wouter Greuell, Carleen H. Reijmer and Johannes Oerlemans, 82:48
Linescan camera evaluation of SSM/I 85.5 GHz sea ice retrieval, C. Garrity, D. Lubin and Grace Waterstone, 83:472

Image Classification
Super-resolution land cover pattern prediction using a Hopfield neural network, A.J. Tatem, H.G. Lewis, P.M. Atkinson and M.S. Nixon, 79:1
Classification using ASTER data and SVM algorithms; – The case study of Beer Sheva, Israel, Guobin Zhu and Dan G. Blumberg, 80:233
Using prior probabilities in decision-tree classification of remotely sensed data, D.K. McIver and M.A. Friedl, 81:253
Image segment-based spectral features in the estimation of timber volume, Anssi Pekkarinen, 82:349
Stratified estimation of forest area using satellite imagery, inventory data, and the k-Nearest Neighbors technique,

Ronald E. McRoberts, Mark D. Nelson and Daniel G. Wendt, 82:457

Image Processing

Assessment of vegetation regeneration after fire through multitemporal analysis of AVIRIS images in the Santa Monica Mountains, D. Riaño et al., 79:60
Atmospheric correction for airborne sensors: Comment on a scheme used for CASI, Chuanmin Hu and Kendall L. Carder, 79:134
Coastal optical properties estimated from airborne sensors – Reply to the comments by Hu and Carder, Richard W. Gould Jr. and Robert A. Arnone, 79:138
Remote sensing of nitrogen and lignin in Mediterranean vegetation from AVIRIS data – Decomposing biochemical from structural signals, Lydia Serrano, Josep Peñuelas and Susan L. Ustin, 81:355
An overview of MODIS land data processing and product status, C.O. Justice, J.R.G. Townshend, E.F. Vermote, E. Masuoka, R.E. Wolfe, N. Saleous, D.P. Roy and J.T. Morisette, 83:3

Image Segmentation

Image segment-based spectral features in the estimation of timber volume, Anssi Pekkarinen, 82:349

Imaging Spectrometry

Assessment of vegetation regeneration after fire through multitemporal anlaysis of AVIRIS images in the Santa Monica Mountains, D. Riaño et al., 79:60
Atmospheric correction for airborne sensors: Comment on a scheme used for CASI, Chuanmin Hu and Kendall L. Carder, 79:134
Coastal optical properties estimated from airborne sensors – Reply to the comments by Hu and Carder, Richard W. Gould Jr. and Robert A. Arnone, 79:138
Remote sensing of forest pigments using airborne imaging spectrometer and LIDAR imagery, George Alan Blackburn, 82:311

Information Extraction

Super-resolution land cover pattern prediction using a Hopfield neural network, A.J. Tatem, H.G. Lewis, P.M. Atkinson and M.S. Nixon, 79:1
Land cover mapping at sub-pixel scales using linear optimization techniques, Jan Verhoeye and Robert De Wulf, 79:96
Status of land cover classification accuracy assessment, Giles M. Foody, 80:185
Impact of sensor's point spread function on land cover characterization: assessment and deconvolution, Chengquan Huang, John R.G. Townshead, Shunlin Liang, Satya N.V. Kalluri and Ruth S. DeFries, 80:203
Classification using ASTER data and SVM algorithms; – The case study of Beer Sheva, Israel, Guobin Zhu and Dan G. Blumberg, 80:233
Assessing the information content of multiangle satellite data for mapping biomes – I. Statistical analysis, Y. Zhang, Y. Tian, R.B. Myneni, Y. Knyazikhin and C.E. Woodcock, 80:418
Assessing the information content of multiangle satellite data for mapping biomes – II. Theory, Y. Zhang, N. Shabanov, Y. Knyazikhin and R.B. Myneni, 80:435
Phenological differences in Tasseled Cap indices improve deciduous forest classification, Caren C. Dymond, David J. Mladenoff and Volker C. Radeloff, 80:460
Remote sensing of selective logging in Amazonia – Assessing limitations based on detailed field observations, Landsat ETM+, and textural analysis, Gregory P. Asner, Michael Keller, Rodrigo Pereira Jr. and Johan C. Zweede, 80:483
Using a land cover classification based on satellite imagery to improve the precision of forest inventory area estimates, Ronald E. McRoberts, Daniel G. Wendt, Mark D. Nelson and Mark H. Hansen, 81:36
Using prior probabilities in decision – tree classification of remotely sensed data, D.K. McIver and M.A. Friedl, 81:253
Pixel – and site-based calibration and validation methods for evaluating supervised classification of remotely sensed data, Douglas M. Muchoney and Alan H. Strahler, 81:290
Conventional and fuzzy accuracy assessment of the New York Gap Analysis Project land cover map, M. Laba et al., 81:443

Interferometry

Stem volume retrieval in boreal forests from ERS-1/2 interferometry, Maurizio Santoro, Jan Askne, Gary Smith and Johan E.S. Fransson, 81:19

Lake

Lake water quality classification with airborne hyperspectral spectrometer and simulated MERIS data, Sampsa Koponen, Jouni Pulliainen, Kari Kallio and Martti Hallikainen, 79:51
Coupling remote sensing with computational fluid dynamics modelling to estimate lake chlorophyll-a concentration, Richard D. Hedger, Nils R.B. Olsen, Tim J. Malthus and Peter M. Atkinson, 79:116
The evolution of AVHRR-derived water temperatures over boreal lakes, Normand Bussières, Diana Verseghy and J. Ian MacPherson, 80:373
Lake water quality monitoring using hyperspectral airborne data – a semiempirical multisensor and multitemporal approach for the Mecklenburg Lake District, Germany, Sabine Thiemann and Hermann Kaufmann, 81:228
A procedure for regional lake water clarity assessment using Landsat multispectral data, Steven M. Kloiber, Patrick L. Brezonik, Leif G. Olmanson and Marvin E. Bauer, 82:38

Land Cover Classification

Super-resolution land cover pattern prediction using Hopfield nueral network, A.J. Tatem, H.G. Lewis, P.M. Atkinson and M.S. Nixon, 79:1

Land cover mapping at sub-pixel scales using linear optimization techniques, Jan Verhoeye and Robert De Wulf 79:96

Status of land cover classification accuracy assessment, Giles M. Foody, 80:185

Impact of sensor's point spread function on land cover characterization: assessment and deconvolution, Chengquan Huang, John R.G. Townsend, Shunlin Liang, Satya N.V. Kalluri and Ruth S. DeFries, 80:203

Classification using ASTER data and SVM algorithms; – The case study of Beer Sheva, Israel, Guobin Zhu and Dan G. Blumberg, 80:233

Assessing the information content of multiangle satellite data for mapping biomes – I. Statistical analysis, Y. Zhang, Y. Tian, R.B. Myneni, Y. Knyazikhin and C.E. Woodcock, 80:418

Assessing the information content of multiangle satellite data for mapping biomes – II. Theory, Y. Zhang, N. Shabanov, Y. Knyazikhin and R.B. Myneni, 80:435

Phenological differences in Tasseled Cap indices improve deciduous forest classification, Caren C. Dymond, David J. Mladenoff and Volker C. Radeloff, 80:460

Remote sensing of selective logging in Amazonia – Assessing limitations based on detailed field observations, Landsat ETM+, and textural analysis, Gregory P. Asner, Michael Keller, Rodrigo Pereira Jr. and Johan C. Zweede, 80:483

Using a land cover classification based on satellite imagery to improve the precision of forest inventory area estimates, Ronald E. MacRoberts, Daniel G. Wendt, Mark D. Nelson and Mark H. Hansen, 81:36

Using prior probabilities in decision-tree classification of remotely sensed data, D.K. McIver and M.A. Friedl, 81:253

Pixel–and site-based calibration and validation methods for evaluating supervised classification of remotely sensed data, Douglas M. Muchoney and Alan H. Strahler, 81:290

Conventional and fuzzy accuracy assessment of the New York Gap Analysis Project land cover map, M. Laba et al., 81:443

Statewide land cover derived from multiseasonal Landsat TM data – A retrospective of the WISCLAND project, Heather M., Reese et al., 82:224

Determining land surface fractional cover from NDVI and rainfall time series for a savanna ecosystem, Todd M. Scanlon, John D. Albertson, Kelly K. Caylor and Chris A. Williams, 82:376

Towards operational monitoring of terrestial systems by moderate-resolution remote sensing, J.R.G. Townshend and C.O. Justice, 83:351

Global land cover mapping from MODIS algorithms and early results, M.A. Friedl, D.K. McIver, J.C.F. Hodges, X.Y. Zhang, D. Muchoney, A.H. Strahler, C.E. Woodcock, S. Gopal, A. Schneider, A. Cooper, A. Baccini, F. Gao and C. Schaaf, 83:287

A framework for the validation of MODIS land products, J.T. Morisette and J.L. Privette, 83:77

Landsat

Digital Processing of a Landsat-TM time series for mapping and monitoring degraded areas caused by independent gold miners, Roraima State, Brazilian Amazon, Raimundo Almeida-Filho and Yosio E. Shimabukuro, 79:42

Comparison of ERS-2 SAR and Landsat TM imagery for monitoring agricultural crop and soil conditions, M. Susan Moran, Daniel C. Hymer, Jiaguo Qi and Yann Kerr, 79:243

Satellite mapping of surface biophysical parameters at the biome scale over the North American grasslands – A case study, B.K. Wylie, D.J. Meyer, L.L. Tieszen and S. Mannel, 79:266

Evaluating evapotranspiration rates and surface conditions using Landsat TM to estimate atmospheric resistance and surface resistance, E. Boegh, H. Soegaard and A. Thomsen, 79:329

A comparison of methods for monitoring multitemporal vegetation using Thematic Mapper imagery, John Rogan, Janet Franklin and Dar A. Roberts, 80:143

Detection of forest harvest type using multiple dates of Landsat TM imagery, Emily Hoffhine Wilson and Steven A. Sader, 80:385

Remote sensing of selective logging in Amazonia–Assessing limitations based on detailed field observations, Landsat ETM+, and textural analysis, Gregory P. Asner, Michael Keller, Rodrigo Pereira Jr. and Johan C. Zweede, 80:483

Coastal sea surface temperature variability from Landsat infrared data, Andrew Thomas, Deirdre Byrne and Ryan Weatherbee, 81:262

Application of an empirical neural network to surface water quality estimation in the Gulf of Finland using combined optical data and microwave data, Yuanzhi Zhang, Jouni Pulliainen, Sampsa Koponen and Martti Hallikainen, 81:327

Comparison of measured boreal forest characteristics with estimates from TM data and limited ancillary information using reflectance model inversion, Fraser Gemmel, Jari Varjo, Mikael Strandstrom and Andres Kuusk, 81:365

Multidate adaptive unmixing and its application to analysis of ecosystem transitions along a climatic gradient, Maxim Shoshany and Tal Svoray, 82:5

A procedure for regional lake water clarity assessment using Landsat multispectral data, Steven M. Kloiber, Patrick L. Brezonik, Leif G. Olmanson and Marvin E. Bauer, 82:38

Scaling of differentially eroded surfaces in the drainage network of the Ethiopian Plateau, Alexandre Beaulieu and Hélène Gaonac'h, 82:111
Radiometric normalization of multitemporal high-resolution satellite images with quality control for land cover change detection, Yong Du, Philippe M. Teillet and Josef Cihlar, 82:123
Simultaneous use of Landsat-TM and IRS-IC WiFS data in estimating large area tree stem volume and above ground biomass, Erkki Tomppo, Mats Nilsson, Mats Rosengren, Paula Aalto and Pamela Kennedy, 82:156
An image transform to characterize and compensate for spatial variations in thin cloud contamination of Landsat images, Y. Zhang, B. Guindon and J. Cihlar, 82:173
Integration of lidar and Landsat ETM+ data for estimating and mapping forest canopy height, Andrew T. Hudak, Michael A. Lefsky, Warren B. Cohen and Mercedes Berterretche, 82:397
Mapping forest post-fire canopy consumption in several overstory types using multi-temporal Landsat TM and ETM data, Jay D. Miller and Stephen R. Yool, 82:481
Mapping and uncertainty of predictions based on multiple primary variables from joint co-simulation with Landsat TM image and polynomial regression, G. Gertner, 83:498
An analysis of the current stability of the dune field at Great Sand Dunes National Monument using temporal TM imagery (1984-1998), J.R. Janke, 83:489
Waterline extraction from Landsat Tm data, in a tidal flat: a case study in Gomso Bay, Korea, J-H. Ryu and J-S. Won, 83:442

Leaf Area Index

Derivation and validation of Canada-wide coarse-resolution leaf area index maps using high-resolution satellite imagery and ground measurements, J.M. Chen et al., 80:165
Early spatial and temporal validation of MODIS LAI product in the Southern Africa Kalahari, J.L. Privette, R.B. Myneni, Y. Knyazikhin, M. Mukelabai, G. Roberts, Y. Tian, Y. Wang and S.G. Leblanc, 83:232
Global products of vegetation leaf area and fraction absorbed PAR from year one of MODIS data, R.B. Myneni, S. Hoffman, Y. Knyazikhin, J.L. Privette, J. Glassy, Y. Tian, Y. Wang, X. Song, Y. Zhang, G.R. Smith, A. Lotsch, M. Friedl, J.T. Morisette, P. Votava, R.R. Nemani and S.W. Running, 83:214
Multiscale analysis and validation of the MODIS LAI product over Maun, Botswana II. Sampling Strategy, Y. Tian, 83:431

Laser Altimetry

Estimating tree height and tree crown properties using airborne scanning laser in a boreal nature reserve, Erik Næsset and Tonje Økland, 79:105
Estimation of tropical forest structural characteristics using large-footprint lidar, Jason B. Drake et al., 79:305
Airborne remote sensing of breaking waves, Paul A. Hwang, Wayne Wright, William B. Krabill and Robert N. Swift, 80:65
Predicting forest stand characteristics with airborne scanning laser using a practical two-stage procedure and field data, Ferik Næsset, 80:88
Sensitivity of large-footprint lidar to canopy structure and biomass in a neotropical rainforest, 81:378
Remote sensing of forest pigments using airborne imaging spectrometer and LIDAR imagery, George Alan Blackburn, 82:311
Integration of lidar and Landsat ETM+ data for estimating and mapping forest canopy height, Andrew T. Hudak, Michael A. Lefsky, Warren B. Cohen and Mercedes Berterretche, 82:397

Marine Habitat

Mapping marine environments with IKONOS imagery: enhanced spatial resolution can deliver greater thematic accuracy, Peter J. Mumby and Alasdair J. Edwards, 82:248

Marine Wind

A new look at the zonal pattern of the marine wind system from TOPEX measurements, Ge Chen, Robert Ezraty, Chaoyang Fang and Lixin Fang, 79:15
Estimation of sea surface wind vector using RADARSAT data, Duk-jin Kim and Wooil M. Moon, 80:55

Meteorology

Comparison of surface meteorological variables from TOVS and AVHRR, Venkataraman Lakshmi, Jennifer Small and Scott Goetz, 79:176
Using microwave brightness temperature to detect short-term surface air temperature changes in Antarctica: An analytical approach, Sylviane Surdyk, 80:256
Analysis of freshwater flux climatology over the Indian Ocean using the HOAPS data, M.R. Ramesh Kumar and J. Schulz, 80:363

Mixture Modeling

Land cover mapping at sub-pixel scales using linear optimization techniques, Jan Verhoeye and Robert De Wulf, 79:96
Structural stage in Pacific Northwest forests estimated using simple mixing models of multispectral images, Donald E. Sabol Jr., Alan R. Gillespie, John B. Adams, Milton O. Smith and Compton J. Tucker, 80:1
Estimation of leafy spurge cover from hyperspectral imagery using mixture tuned matched filtering, Amy Parker Williams and E. Raymond Hunt Jr., 82:446

MODIS

Estimate of noise and systematic error in early thermal infrared data of the Moderate Resolution Imaging Spectroradiometer (MODIS), Zhengming Wan, 80:47

Effects of spatial variability in light use efficiency on satellite-based NPP monitoring, David P. Turner, Stith T. Gower, Warren B. Cohen, Matthew Gregory and Tom K. Maiersperger, 80:397

Preliminary estimate of calibration of the moderate resolution imaging spectroradiometer thermal infrared data using Lake Titicaca, Zhengming Wan et al., 80:497

Effects of spectral response function on surface reflectance and NDVI measured with moderate resolution satellite sensors, Alexander P. Trishchenko, Josef Cihlar and Zhanqing Li, 81:1

Automated volcanic eruption detection using MODIS, Robert Wright, Luke Flynn, Harold Garbeil, Andrew Harris and Eric Pilger, 82:135

Preface: special issue on the moderate resolution spectroradiometer (MODIS): a new generation of land surface monitoring, C.O. Justice and J. Townshend, 83:1

An overview of MODIS land data processing and product status, C.O. Justice, J.R.G. Townshend, E.F. Vermote, E. Masuoka, R.E. Wolfe, N. Saleous, D.P. Roy and J.T. Morisette, 83:3

On-orbit performance of the earth observing system (EOS) moderate resolution imaging spectroradiometer (MODIS); first year of data, B. Guenther, X. Xiong, V.V. Salomonson, W.L. Barnes and J. Young, 83:16

Achieving sub-pixel geolocation accuracy in support of MODIS land science, R.E. Wolfe, M. Nishihama, A.J. Fleig, J.A. Kuyper, D.P. Roy, J.C. Storey, F.S. Patt, 83:31

Early results on the characterization of the terra MODIS spatial response, F. Rojas, R.A. Schowengerdt and S.F. Biggar, 83:50

The MODIS land product quality assessment approach, D.P. Roy, J.S. Borak, S. Devadiga, R.E. Wolfe, M. Zheng and J. Descloitres, 83:62

A framework for the validation of MODIS land products, J.T. Morisette and J.L. Privette, 83:77

Atmospheric correction of MODIS data in the visible to middle infrared: first results, E.F. Vermote and N.Z. El Saleous, 83:97

Land surface reflectance, emissivity and temperature from MODIS middle and thermal infrared data, F. Petitcolin and E.F. Vermote, 83:112

First operational BRDF, albedo and nadir reflectance products from MODIS, C.B. Schaaf, F. Gao, A.H. Strahler, W. Lucht, X. Li, T. Tsang, N.C. Strugnell, X. Zhang, Y. Jin, J.-P. Muller, P. Lewis, M. Barnsley, P. Hobson, M. Disney, G. Roberts, M. Dunderdale, C. Doll, R.P. d'Entremont, B. Hu, S. Liang, J.L. Privette, D. Roy, 83:135

Validating MODIS land surface reflectance and albedo products: methods and preliminary results, S. Liang, H. Fang, M. Chen, C.J. Shuey, C. Walthall, C. Daughtry, J. Morisette, C. Schaaf and A. Strahler, 83:149

Validation of the land-surface temperature products retrieved from Terra moderate resolution imaging spectroradiometer data, Z. Wan, Y. Zhang, Q. Zhang and Z.-l. Li, 83:163

MODIS snow-cover products, D.K. Hall, G.A. Riggs, V.V. Salomonson, N.E. DiGirolamo and K.J. Bayr, 83:181

Overview of the radiometric and biophysical performance of the MODIS vegetation indices, A.R. Huete, K. Didan, T. Miura, E.P. Rodriguez, X. Gao and L.G. Ferreira, 83:195

Global products of vegetation leaf area and fraction absorbed PAR from year one of MODIS data, R.B. Myneni, S. Hoffman, Y. Knyazikhin, J.L. Privette, J. Glassy, Y. Tian, Y. Wang, X. Song, Y. Zhang, G.R. Smith, A. Lotsch, M. Friedl, J.T. Morisette, P. Votava, R.R. Nemani and S.W. Running, 83:214

Early spatial and temporal validation of MODIS LAI product in the Southern Africa Kalahari, J.L. Privette, R.B. Myneni, Y. Knyazikhin, M. Mukelabai, G. Roberts, Y. Tian, Y. Wang and S.G. Leblanc, 83:232

The MODIS fire products, C.O. Justice, L. Giglio, S. Korontzi, J. Owens, J.T. Morisette, D. Roy, J. Descloitres, S. Alleaume, F. Petitcolin and Y. Kaufman, 83:244

Burned area mapping using multi-temporal moderate spatial resolution data-a bi-directional reflectance model-based expectation approach, D.P. Roy, P.E. Lewis and C.O. Justice, 83:263

Global land cover mapping from MODIS algorithms and early results, M.A. Friedl, D.K. McIver, J.C.F. Hodges, X.Y. Zhang, D. Muchoney, A.H. Strahler, C.E. Woodcock, S. Gopal, A. Schneider, A. Cooper, A. Baccini, F. Gao and C. Schaaf, 83:287

Towards an operational MODIS continuous field of percent tree cover algorithm: examples using AVHRR and MODIS data, M.C. Hansen, R.S. DeFries, J.R.G. Townshend, R. Sohlberg, C. Dimiceli and M. Carroll, 83:303

Development of a MODIS tree cover validation data set for Western Province, Zambia, M.C. Hansen, R.S. DeFries, J.R.G. Townshend, L. Marufu and R. Sohlberg, 83:320

Detection of land cover changes using MODIS 250m data, X. Zhan, R.A. Sohlberg, J.R.G. Townshend, C. DiMiceli, M.L. Carroll, J.C. Eastman, M.C. Hansen and R.S. DeFries, 83:336

Towards operational monitoring of terrestrial systems by moderate-resolution remote sensing, J.R.G. Townshend and C.O. Justice, 83:351

Multiscale analysis and validation of the MODIS LAI product over Maun, Botswana II. Sampling Strategy, Y. Tian, 83:431

Moisture

Using covariates to spatially interpolate moisture availability in the Murray-Darling Basin – A novel use of

remotely sensed data, Tim R. McVicar and David L.B. Jupp, 79:199
A simple interpretation of the surface temperature/vegetation index space for assessment of surface moisture status, Inge Sandholt, Kjeld Rasmussen and Jens Andersen, 79:213
Comparison of ERS-2 SAR and Landsat TM imagery for monitoring agricultural crop and soil conditions, M. Susan Moran, Daniel C. Hymer, Jiaguo Qi and Yann Kerr, 79:243
Designing a spectral index to estimate vegetation water content from remote sensing data: Part 1 – Theoretical approach, Pietro Ceccato, Nadine Gobron, Stéphane Flasse, Bernard Pinty and Stefano Tarantola, 82:188
Designing a spectral index to estimate vegetation water content from remote sensing data: Part 2 – Validation and applications, Pietro Ceccato, Stéphane Flasse and Jean-Marie Grégoire, 82:198
ECMWF analyses of humidity: comparisons to POLDER estimates over land, Michèle Vesperini, 82:469

Multiangle Measurements

Assessing the information content of multiangle satellite data for mapping biomes – I. Statistical analysis, Y. Zhang, Y. Tian, R.B. Myneni, Y. Knyazikhin and C.E. Woodcock, 80:418
Assessing the information content of multiangle satellite data for mapping biomes – II. Theory, Y. Zhang, N. Shabanov, Y. Knyazikhin and R.B. Myneni, 80:435
Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT: – I. Investigation of concepts based on simulation, Benoît Duchemin and Philippe Maisongrande, 81:90
Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT: – II. Validation of an operational method on actual data sets, Benoît Duchemin, Béatrice Berthelot, Gérard Dedieu, Marc Leroy and Philippe Maisongrande, 81:101

Multitemporal

A comparison of methods for monitoring multitemporal vegetation change using Thematic Mapper imagery, John Rogan, Janet Franklin and Dar A. Roberts, 80:143
Detection of forest harvest type using multiple dates of Landsat TM imagery, Emily Hoffhine Wilson and Steven A. Sader, 80:385
Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture, Driss Haboudane, John R. Miller, Nicolas Tremblay, Pablo J. Zarco-Tejada and Louise Dextraze, 81:416
Multidate adaptive unmixing and its application to analysis of ecosystem transitions along a climatic gradient, Maxim Shoshany and Tal Svoray, 82:5
The spatial manifestation of forest succession in optical imagery – The potential of multiresolution imagery, Conghe Song and Curtis E. Woodcock, 82:271
The spectral/temporal manifestation of forest succession in optical imagery – The potential of multitemporal imagery, Conghe Song, Curtis E. Woodcock and Xiaowen Li, 82:285
Mapping forest post-fire canopy consumption in several overstory types using multi-temporal Landsat TM and ETM data, Jay D. Miller and Stephen R. Yool, 82:481

Net Primary Productivity

Effects of spatial variability in light use efficiency on satellite-based NPP monitoring, David P. Turner, Stith T. Gower, Warren B. Cohen, Matthew Gregory and Tom K. Maiersperger, 80:397
Deriving green crop area index and canopy chlorophyll density of winter wheat from spectral reflectance data, N.H. Broge and J.V. Mortensen, 81:45

Ocean Color

Short-term variability of phytoplankton blooms associated with a cold eddy in the northwestern Arabian Sea, DanLing Tang, Hiroshi Kawamura and Alvarinho J. Luis, 81:82
SPOT shallow water bathymetry of a moderately turbid tidal inlet based on field measurements, V. Lafon, J.M. Froidefond, F. Lahet and P. Castaing, 81:136
Spectral signature of highly turbid waters – Application with SPOT data to quantify suspended particulate matter concentrations, David Doxaran, Jean-Marie Froidefond, Samantha Lavender and Patrice Castaing, 81:149
Algal biomass and sea surface temperature in the Mediterranean Basin – Intercomparison of data from various satellite sensors, and implications for primary production estimates, A. Bricaud, E. Bosc and D. Antoine, 81:163
Calibration of ocean color scanners: how much error is acceptable in the near infrared? Menghua Wang and Howard R. Gordon, 82:497

Ocean Waves and Winds

A new look at the zonal pattern of the marine wind system from TOPEX measurements, Ge Chen, Robert Ezraty, Chaoyang Fang and Lixin Fang, 79:15
Estimation of sea surface wind vector using RADARSAT data, Duk-jin Kim and Wooil M. Moon, 80:55
Airborne remote sensing of breaking waves, Paul A. Hwang, Wayne Wright, William B. Krabill and Robert N. Swift, 80:65
Sea-surface signatures of the island mass effect phenomena around Madeira Island, Northeast Atlantic, R.M.A. Caldeira, S. Groom, P. Miller, D. Pilgrim and N.P. Nezlin, 80:336

Analysis of ERS wind scatterometer time series over Sahel (Mali), L. Jarlan, E. Mougin, P.L. Frison, P. Mazzega and P. Hiernaux, 81:404
Upwellings in the Taiwan Strait during the summer monsoon detected by satellite and shipboard measurements, Grace Waterstone and D. Tang, 83:457

Passive Microwave

Using microwave brightness temperature to detect short-term surface air temperature changes in Antarctica: An analytical approach, Sylviane Surdyk, 80:256
ERS SAR characterization of coastal polynyas in the Arctic and comparison with SSM/I and numerical model investigations, Sverre Thune Dokken, Peter Winsor, Thorsten Markus, Jan Askne and Göran Björk, 80:321
Analysis of freshwater flux climatology over the Indian Ocean using the HOAPS data, M.R. Ramesh Kumar and J. Schulz, 80:363
Seasonal comparisons of sea ice concentration estimates derived from SSM/I, OKEAN, and RADARSAT data, Gennady I. Belchansky and David C. Douglas, 81:67
Space-time characterization of soil moisture from passive microwave remotely sensed imagery and ancillary data, Gwangseob Kim and Ana P. Barros, 81:393
Linescan camera evaluation of SSM/I 85.5 GHz sea ice retrieval, C. Garrity, D. Lubin and Grace Waterstone, 83:472

POLDER

Recovery of forest canopy characteristics through inversion of a complex 3D model, D. Kimes, J. Gastellu-Etchegorry and P. Estève, 79:320
Mapping short-wave albedo of agricultural surfaces using airborne PolDER data, F. Jacob, A. Olioso, M. Weiss, F. Baret and O. Hautecoeur, 80:36
Algal biomass and sea surface temperature in the Mediterranean Basin – Intercomparison of data from various satellite sensors, and implications for primary production estimates, A. Bricaud, E. Bosc and D. Antoine, 81:163
ECMWF analyses of humidity: comparisons to POLDER estimates over land, Michèle Vesperini, 82:469

Radar

Radiometric slope correction for forest biomass estimation from SAR data in the Western Sayani Mountains, Siberia, G. Sun, K.J. Ranson and V.I. Kharuk, 79:279
Estimation of sea surface wind vector using RADARSAT data, Duk-jin Kim and Wooil M. Moon, 80:55
The effect of dew on the use of RADARSAT-1 for crop monitoring – Choosing between ascending and descending orbits, D. Wood, H. McNairn, R.J. Brown and R. Dixon, 80:241
The effect of soil and crop residue characteristics on polarimetric radar response, H. McNairn, C. Duguay, B. Brisco and T.J. Pultz, 80:308
ERS SAR characterization of coastal polynyas in the Arctic and comparison with SSM/I and numerical model investigations, Sverre Thune Dokken, Peter Winsor, Thorsten Markus, Jan Askne and Göran Björk, 80:321
Stem volume retrieval in boreal forests from ERS-1/2 interferometry, Maurizio Santoro, Jan Askne, Gary Smith and Johan E.S. Fransson, 81:19
Seasonal comparison of sea ice concentration estimates derived from SSM/I, OKEAN, and RADARSAT data, Gennady I. Belchansky and David C. Douglas, 81:67
Season-long daily measurements of multifrequency (Ka, Ku, X, C, and L) and full-polarization backscatter signatures over paddy rice field and their relationship with biological variables, Y. Inoue et al., 81:194
Application for an empirical neural network to surface water quality estimation in the Gulf of Finland using combined optical data and microwave data, Yuanzhi Zhang, Jouni Pulliainen, Sampsa Koponen and Martti Hallikainen, 81:327
Scaling of differentially eroded surfaces in the drainage network of the Ethiopian Plateau, Alexandre Beaulieu and Hélène Gaonac'h, 82:111
Evaluation of IRS-1c LISS-3 satellite data for defoliation assessment on Norway spruce and Scots pine, Helén Falkenström and Sam Ekstrand, 82:208

Radiation Modeling

Design and analysis of numerical experiments to compare four canopy reflectance models, C. Bacour, S. Jacquemod, Y. Tourbier, M. Dechambre and J.-P. Frangi, 79:72
Coupling remote sensing with computational fluid dynamics modelling to estimate lake chlorophyll-a concentration, Richard D. Hedger, Nils R.B. Olsen, Tim J. Malthus and Peter M. Atkinson, 79:116
Using covariates to spatially interpolate moisture availability in the Murray-Darling Basin – A novel use of remotely sensed data, Tim R. McVicar and David L.B. Jupp, 79:199
A simple interpretation of the surface temperature/vegetation index space for assessment of surface moisture status, Inge Sandholt, Kjeld Rasmussen and Jens Andersen, 79:213
Evaluating land surface moisture conditions from the remotely sensed temperature/vegetation index measurements – An exploration with the simplified simple biosphere model, Samuel N. Goward, Yongkang Xue and Kevin P. Czajkowski, 79:225
Recovery of forest canopy characteristics through inversion of a complex 3D model, D. Kimes, J. Gastellu-Etchegorry and P. Estève, 79:320
Forward and inverse modeling of land surface energy balance using surface temperature measurements, M.A. Friedl, 79:344
A two-layer model of the bidirectional reflectance of homogeneous vegetation canopies, S. Liangrocapart and M. Petrou, 80:17

Mapping short-wave albedo of agricultural surfaces using airborne PolDER data, F. Jacob, A. Olioso, M. Weiss, F. Baret and O. Hautecoeur, 80:36
Novel algorithms for remote estimation of vegetation fraction, Anatoly A. Gitelson, Yoram J. Kaufman, Robert Stark and Don Rundquist, 80:76
Predicting forest stand characteristics with airborne scanning laser using a practical two-stage procedure and field data, Erik Næsset, 80:88
Evolution of neural networks for radiative transfer calculations in the terrestrial infrared, Frank-M. Göttsche and Folke S. Olesen, 80:157
Remote sensing of the surface solar irradiance with corrections for 3-D cloud effects, Klaus Wyser, William O'Hirok, Catherine Gautier and Charles Jones, 80:272
Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT: – I. Investigation of concepts based on simulation, Benoît Duchemin and Philippe Maisongrande, 81:90
A fast canopy reflectance model to simulate realistic remote sensing scenarios, F.J. García-Haro and S. Sommer, 81:205
Land surface albedo from the synergistic use of polar (EPS) and geo-stationary (MSG) observing systems – An assessment of physical uncertainties, Willem J.D. van Leeuwen and Jean-Louis Roujean, 81:273
Comparison of measured boreal forest characteristics with estimates from TM data and limited ancillary information using reflectance model inversion, Fraser Gemmell, Jari Varjo, Mikael Strandtrom and Andres Kuusk, 81:365
Estimation of carbon mass fluxes over Europe using the C-fix model and Euroflux data, F. Veroustraete, 83:376

Rain

Analysis of freshwater flux climatology over the Indian Ocean using the HOAPS data, M.R. Ramesh Kumar and J. Schulz, 80:363
Determining land surface fractional cover from NDVI and rainfall time series for a savanna ecosystem, Todd M. Scanlon, John D. Albertson, Kelly K. Caylor and Chris A. Williams, 82:376

Reflectance Measurements

A two-layer model of bidirectional reflectance of homogenous vegetation canopies, S. Liangrocapart and M. Petrou, 80:17
Characterizing leaf geometry for grass and crop canopies from hotspot observations: A simulation study, Wenhan Qin, Siegfried A.W. Gerstl, Donald W. Deering and Narendra S. Goel, 80:100
Biochemical and reflectance variation throughout a Sitka spruce canopy, A.L. O'Neill, J.A. Kupiec and P.J. Curran, 80:134
Impact of nitrogen and environmental conditions on corn as detected by by hyperspectral reflectance, Ian B. Strachan, Elizabeth Pattey and Johanne B. Boisvert, 80:213
Spectral remote sensing reflectances of coastal waters in French Guiana under the Amazon influence, Jean-Marie Froidefond, Laure Gardel, Daniel Guiral, Mario Parra and Jean-François Ternon, 80:225
Field-derived spectra of salinized soils and vegetation as indicators of irrigation-induced soil salinization, R.L. Dehaan and G.R. Taylor, 80:406
Land surface reflectance, emissivity and temperature from MODIS middle and thermal infrared, F. Petitcolin and E.F. Vermote, 83:112
First operational BRDF, albedo and nadir reflectance products from MODIS, C.B. Schaaf, F. Gao, A.H. Strahler, W. Lucht, X. Li, T. Tsang, N.C. Strugnell, X. Zhang, Y. Jin, J.-P. Muller, P. Lewis, M. Barnsley, P. Hobson, M. Disney, G. Roberts, M. Dunderdale, C. Doll, R.P. d'Entremont, B. Hu, S. Liang, J.L. Privette, D. Roy, 83:135
Retrieval of tropical forest structure characteristics from bi-directional reflectance of spot images, P. Defourny and C. de Wasseige, 83:362
Retrieval of canopy biophysical variables from bi-directional reflectance. Using prior information to solve the ill-posed inverse problem, B. Combal, 00:00

SAR

Retrieval biomass of large Venezuelan pine plantation using JERS-1 SAR data. Analysis of forest structure impact on radar signature, Thierry Castel, Francisco Guerra, Yves Caraglio and François Houllier, 79:30
Comparison of ERS-2 SAR and Landsat TM imagery for monitoring agricultural crop and soil conditions, M. Susan Moran, Daniel C. Hymer, Jiaguo Qi and Yann Kerr, 79:243
Radiometric slope correction for forest biomass estimation from SAR data in the Western Sayani Mountains, Siberia, G. Sun, K.J. Ranson and V.I Kharuk, 79:279
Estimating forest structure in wetlands using mulyitemporal SAR, Philip A. Townsend, 79:288

Scatterometer

Analysis of ERS wind scatterometer time series over Sahel (Mali), L. Jarlan, E. Mougin, P.L. Frison, P. Mazzega and P. Hiernaux, 81:404
Retrieval of bare soil and vegetation parameters from wind scatterometer measurements over three different climatic regions, M. Grippa, 00:00

Sea WIFS

Derivation of SeaWIFS vicarious calibration coefficients using in situ measurements in Case 2 water of the Baltic Sea, T. Ohde, B. Sturn and H. Siegel, 80:248
Sea-surface signatures of the island mass effect phenomena around Madeira Island, Northeast Atlantic, R.M.A. Caldeira, S. Groom, P. Miller, D. Pilgrim and N.P. Nezlin, 80:336

Short-term variability of phytoplankton blooms associated with a cold eddy in the northwestern Arabian Sea, DanLing Tang, Hiroshi Kawamura and Alvarinho J. Luis, 81:82
Algal biomass and sea surface temperature in the Mediterranean Basin – Intercomparison of data form various satellite sensors, and implications for primary production estimates, A. Bricaud, E. Bosc and D. Antoine, 81:163
Validation of empirical SeaWIFS algorithms for chlorophyll-a retrieval in the Mediterranean Sea – A case study for oligotrophic seas, Fabrizio D'Ortenzio, Salvatore Marullo, Maria Ragni, Maurizio Ribera d'Alcalà and Rosalia Santoleri, 82:79

Sea Ice

ERS SAR characterization of coastal polynyas in the Arctic and comparison with SSM/I and numerical model investigations, Sverre Thune Dokken, Peter Winsor, Thorsten Markus, Jan Askne and Göran Björk, 80:321
Seasonal comparisons of sea ice concentration estimates derived from SSM/I, OKEAN, and RADARSAT data, Gennady I. Belchansky and David C. Douglas, 81:67
Linescan camera evaluation of SSM/I 85.5 Ghz sea ice retrieval, C. Garrity, D. Lubin and Grace Waterstone, 83:472

Sea Surface Temperature

Algal biomass and sea surface temperature in the Mediterranean Basin – Intercomparison of data form various satellite sensors, and implications for primary production estimates, A. Bricaud, E. Bosc and D. Antoine, 81:163
Coastal sea surface temperature variability from Landsat infrared data, Andrew Thomas, Deirdre Byrne and Ryan Weatherbee, 81:262
Definition of a radiosounding database for sea surface brightness temperature simulations – Application to sea surface temperature retrieval algorithm determination, Christopher François, A. Brisson, P. Le Borgne and A. Marsouin, 81:309

Sensor

Estimate of noise systematic error in early thermal infrared data of the Moderate Resolution Imaging Spectroradiometer (MODIS), Zhengming Wan, 80:47
Impact of sensor's point spread function on land cover characterization: assessment and deconvolution, Chengquan Huang, John R.G. Townshend, Shunlin Liang, Satya N.V. Kalluri and Ruth S. DeFries, 80:203
Assessing the information content of multiangle satellite data for maping biomes – I. Statistical analysis, Y. Zhang, Y. Tian, R.B. Myneni, Y. Knyazikhin and C.E. Woodcock, 80:418
Effects of spectral response function on surface reflectance and NDVI measured with moderate resolution satellite sensors, Alexander P. Trishchenko, Josef Cihlar and Zhanqing Li, 81:1

Snow

Using microwave brightness temperature to detect short-term surface air temperature changes in Antarctica: An analytical approach, Sylviane Surdyk, 80:256
Narrowband-to-broadband albedo conversion for glacier ice and snow based on aircraft and near-surface measurements, Wouter Greuell, Carleen H. Reijmer and Johannes Oerlemans, 82:48
Improved linear interpolation method for the estimation of snow-covered area from optical data, Sari Metsämäki, Jenni Vepsäläinen, Jouni Pulliainen and Yrjö Sucksdorff, 82:64
MODIS snow-cover products, D.K. Hall, G.A. Riggs, V.V. Salomonson, N.E. DiGirolamo and K.J. Bayr, 83:181

Solar Radiation

Remote sensing of surface solar irradiance with corrections for 3-D cloud effects, Klaus Wyser, William O'Hirok, Catherine Gautier and Charles Jones, 80:272

Soil

Comparison of ERS-2 SAR and Landsat TM imagery for monitoring agricultural crop and soil conditions, M. Susan Moran, Daniel C. Hymer, Jiaguo Qi and Yann Kerr, 79:243
The effect of soil and crop residue characteristics on polarimetric radar response, H. McNaim, C. Duguay, B. Brisco and T.J. Pultz, 80:308
Field-derived spectra of salinized soils and vegetation as indicators of irrigation-induced soil salinization, R.L. Dehaan and G.R. Taylor, 80:406
Relating soil surface moisture to reflectance, Liu Weidong et al., 81:238
Scaling of differentially eroded surfaces in the drainage network of the Ethiopian Plateau, Alexandre Beaulieu and Hélène Gaonac'h, 82:111
A generalized soil-adjusted vegetation index, M.A. Gilabert, J. González-Piqueras, F.J. García-Haro and J. Meliá, 82:303
Use of hyspectral images in the identification and mapping of expansive clay soils and the role of spatial resolution, Sabine Chabrillat, Alexander F.H. Goetz, Lisa Krosley and Harold W. Olsen, 82:431
Downscaling of remotely-sensed soil moisture with a modisture with a modified fractal interpolation method using contraction mapping and ancillary data, A.P. Barros and G. Kim, 83:400
Retrieval of bare soil and vegetation parameters from wind scatterometer measurements over three different climatic regions, M. Grippa, 00:00

Spatial

The spatial manifestation of forest succession in optical imagery – The potential of multiresolution imagery, Conghe Song and Curtis E. Woodcock, 82:271

Use of hyperspectral images in the identification and mapping of expansive clay soils and the role of spatial resolution, Sabine Chabrillat, Alexander F.H. Goetz, Lisa Krosley and Harold W. Olsen, 82:431
Early results on the characterization of the terra MODIS spatial response, F. Rojas, R.A. Schowengerdt and S.F. Biggar, 83:50

Spectroradiometry

Impact of nitrogen and environmental conditions on corn as detected by hyperspectral reflectance, Ian B. Strachan, Elizabeth Pattey and Johanne B. Boisvert, 80:213
Spectral remote sensing reflectances of coastal waters in French Guiana under the Amazon influence, Jean-Marie Froidefond, Laure Gardel, Daniel Guiral, Mario Parra and Jean-François Ternon, 80:225
Salt marsh vegetation radiometry – Data analysis and scaling, Sonia Silvestri, Marco Marani, Jeff Settle, Fabio Benvenuto and Alessandro Marani, 80:473
Spectral signature of highly turbid waters – Application with SPOT data to quantify suspended particular matter concentrations, David Doxaran, Jean-Marie Froidefond, Samantha Lavender and Patrice Castaing, 81:149
Measuring and modelling water column effects on hyperspectral reflectance in a coral reef environment, Heather Holden and Ellsworth LeDrew, 81:300
Relationships between leaf pigment content and spectral reflectance across a wide range of species, leaf structures and developmental stages, Daniel A. Sims and John A. Gamon, 81:337

SPOT

Derivation and validation of Canada-wide coarse-resolution leaf area index maps using high-resolution satellite imagery and ground measurements, J.M. Chen et al., 80:165
Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT: – I. Investigation of concepts based on simulation, Benoît Duchemin and Philippe Maisongrande, 81:90
Normalisation of directional effects in 10-day global syntheses derived from VEGETATION/SPOT: – II. Validation of an operational method on actual data sets, Benoît Duchemin, Béatrice Berthelot, Gérard Dedieu, Marc Leroy and Philippe Maisongrande, 81:101
SPOT shallow water bathymetry of a moderately turbid tidal inlet based on field measurements, V. Lafon, J.M. Froidefond, F. Lahet and P. Castaing, 81:136
Spectral signature of highly turbid waters – Application with SPOT data to quantify suspended particulate matter concentrations, David Doxaran, Jean-Marie Froidefond, Samantha Lavender and Patrice Castaing, 81:149
Radiometric analysis of SPOT-VEGETATION images for burnt area detection in Northern Australia, Daniela Stroppiana, Simon Pinnock, José M.C. Pereira and Jean-Marie Grégoire, 82:21
Estimating fire-related parameters in boreal forest using SPOT VEGETATION, R.H. Fraser and Z. Li, 82:95
Characterization of forest types in Northeastern China, using multi-temporal SPOT-4 VEGETATION sensor data, Xiangming Xiao, Stephen Boles, Jiyuan Liu, Dafang Zhuang and Mingliang Liu, 82:335

Subpixel

Land cover mapping at sub-pixel scales using linear optimization techniques, Jan Verhoeye and Robert De Wulf, 79:96
Multidate adaptive unmixing and its application to analysis of ecosystem transitions along a climatic gradient, Maxim Shoshany and Tal Svoray, 82:5
Achieving sub-pixel geolocation accuracy in support of MODIS land science, R.E. Wolfe, M. Nishihama, A.J. Fleig, J.A. Kuyper, D.P. Roy, J.C. Storey, F.S. Patt, 83:31

Surface Temperature

Effects of orbital drift on land surface temperature measured by AVHRR thermal sensors, Arthur C.R. Gleason, Stephen D. Prince, Scott J. Goetz and Jennifer Small, 79:147
Temperature and emissitivity separation from multispectral thermal infrared observations, Thomas Schmugge, Andrew French, Jerry C. Ritchie, Albert Rango and Henk Pelgrum, 79:189
Using covariates to spatially interpolate moisture availability in the Murray-Darling Basin – A novel use of remotely sensed data, Tim R. McVicar and David L.B. Jupp, 79:199
A simple interpretation of the surface temperature/vegetation index space for assessment of surface moisture status, Inge Sandholt, Kjeld Rasmussen and Jens Andersen, 79:213
Forward and inverse modeling of land surface energy balance using surface temperature measurements, M.A. Friedl, 79:344
The potential of directional radiometric temperatures for monitoring soil and leaf temperature and soil moisture status, C. François, 80:122
Evolution of neural networks for radiative transfer calculations in the terrestial infrared, Frank-M. Göttsche and Folke S. Olesen, 80:157
The evolution of AVHRR-derived water temperatures over boreal lakes, Normand Bussières, Diana Verseghy and J. Ian MacPherson, 80:373
Land surface temperature estimation from AVHRR thermal infrared measurements – An assessment for the AVHRR Land Pathfinder II data set, H. Ouaidrari, S.N. Goward, K.P. Czajkowski, J.A. Sobrino and E. Vermote, 81:114
Validation of the land-surface temperature products retrieved from Terra moderate resolution imaging spectroradio-

meter data, Z. Wan, Y. Zhang, Q. Zhang and Z.-l. Li, 83:163

Thermal Measurements

Thermal remote sensing of near-surface water vapor, Kevin P. Czajkowski, Samuel N. Goward, David Shirey and Anita Walz, 79:253

Estimate of noise and systematic error in early thermal infrared data of the Moderate Resolution Imaging Spectroradiometer (MODIS), Zhengming Wan, 80:47

First use of an airborne thermal infrared hyperspectral scanner for compositional mapping, Laurel Kirkland et al., 80:447

Preliminary estimate of calibration of the moderate resolution imaging spectroradiometer thermal infrared data using Lake Titicaca, Zhengming Wan et al., 80:497

Validation of the land-surface temperature products retrieved from Terra moderate resolution imaging spectroradiometer data, Z. Wan, Y. Zhang, Q. Zhang and Z.-l. Li, 83:163

TOPEX

A new look at the zonal pattern of the marine wind system from TOPEX measurements, Ge Chen, Robert Ezraty, Chaoyang Fang and Lixin Fang, 79:15

Topography

Radiometric slope correction for forest biomass estimation from SAR data in the Western Sayani mountains, Siberia, G. Sun, K.J. Ranson and V.I Kharuk, 79:279

Airborne remote sensing of breaking waves, Paul A. Hwang, Wayne Wright, William B. Krabill and Robert N. Swift, 80:65

Urban

Classification using ASTER data and SVM algorithms– The case study of Beer Sheva, Israel, Guobin Zhu and Dan G. Blumberg, 80:233

Sensitivity of multitemporal NOAA AVHRR data of an urbanizing region to land-use/land-cover changes and misregistration, Douglas A. Stow and Dong Mei Chen, 80:297

Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precission agriculture, Driss Haboudane, John R. Miller, Nicholas Tremblay, Pablo J. Zarco-Tejada and Louise Dextraze, 81:416

Vegetation Indices

Retrieval of vegetation clumping index using hot spot signatures measured by POLDER instrument, Roselyne Lacaze, Jing M. Chen, Jean-Louis Roujean and Sylvain G. Leblanc, 79:84

A simple interpretation of the surface temperature/vegetation index for assessment of surface moisture status, Inge Sandholt, Kjeld Rasmussen and Jens Andersen, 79:213

Satellite mapping of surface biophysical parameters at the biome scale over the North American grasslands – A case study, B.K. Wylie, D.J. Meyer, L.L. Tieszen and S. Mannel, 79:266

Impact of nitrogen and environment conditions on corn as detected by hyperspectral reflectance, Ian B. Strachan, Elizabeth Pattey and Johanne B. Boisvert, 80:213

Detection of forest harvest type using multiple dates of Landsat TM imagery, Emily Hoffhine Wilson and Steven A. Sader, 80:385

Phenological differences in Tasseled Cap indices improve deciduous forest classification, Caren C. Dymond, David J. Mladenoff and Volker C. Radeloff, 80:460

Using a land cover classification based on satellite imagery to improve the precision of forest inventory areas estimates, Ronald E. McRoberts, Daniel G. Wendt, Mark D. Nelson and Mark H. Hansen, 81:36

The influence of canopy green vegetation fraction on spectral measurements over native tallgrass prairie, Bradley C. Rundquist, 81:129

A generalized soil-adjusted vegetation index, M.A. Gilabert, J. González-Piqueras, F.J. García-Haro and J. Meliá, 82:303

Burned area mapping using multi-temporal moderate spatial resolution data – a bi-directional reflectance model-based expectation approach, D.P. Roy, P.E. Lewis and C.O. Justice, 83:263

Vegetation Properties

Assessment of vegetation regeneration after fire through multitemporal analysis of AVIRIS images in the Santa Monica Mountains, D. Riaño et al., 79:60

Design and analysis of numerical experiments to compare four canopy reflectance models, C. Bacour, S. Jacquemond, Y. Tourbier, M. Dechambre and J.-P. Frangi, 79:72

Retrieval of vegetation clumping index using hot spot signatures measured by POLDER instrument, Roselyne Lacaze, Jing M. Chen, Jean-Louis Roujean and Sylvain G. Leblanc, 79:84

Estimating tree height and tree crown properties using airborne scanning laser in a boreal nature reserve, Erik Næsset and Tonje Økland 79:105

Thermal remote sensing of near-surface water vapor, Kevin P. Czajkowski, Samuel N. Goward, David Shirey and Anita Walz, 79:253

Satellite mapping of surface biophysical parameters at the biome scale over the North American grasslands – A case study, B.K. Wylie, D.J. Meyer, L.L. Tieszen and S. Mannel, 79:266

A two-layer model of the bidirectional reflectance of homogeneous vegetation canopies, S. Liangrocapart and M. Petrou, 80:17

Novel algorithms for remote estimation of vegetation fraction, Anatoly A. Gitelson, Yoram J. Kaufman, Robert Stark and Don Runquist, 80:76
Predicting forest stand characteristics with airborne scanning laser using a practical two-stage procedure and field data, Erik Næsset, 80:88
Characterizing leaf geometry for grass and crop canopies from hotspot observations: A simulation study, Wenhan Qin, Siegfried A.W. Gerstl, Donald W. Deering and Narendra S. Goel, 80:100
Estimation of f APAR LAI, and vegetation fractional cover from ATSR-2 imagery, Peter R.J. North, 80:114
Impact of nitrogen and environment conditions on corn as detected by hyperspectral reflectance, Ian B. Strachan, Elizabeth Pattey and Johanne B. Boisvert, 80:213
Effects of spatial variability in light use efficiency on satellite-based NPP monitoring, David P. Turner, Stith T. Gower, Warren B. Cohen, Matthew Gregory and Tom K. Maiesperger, 80:397
Salt marsh vegetation radiometry – Data analysis and scaling, Sonia Silvestri, Marco Marani, Jeff Settle, Fabio Benvenuto and Alessandro Marani, 80:473
Remote sensing of selective logging in Amazonia – Assessing limitations based on detailed field observations, Landsat ETM+ and textural analysis, Gregory P. Asner, Michael Keller, Rodrigo Pereira Jr. and Johan C. Zweede, 80:483
Stem volume retrieval in boreal forests from ERS-1/2 interferometry, Maurizio Santoro, Jan Askne, Gary Smith and Johan E.S. Franssion, 81:19
Using a land cover classification based on satellite imagery to improve the precision of forest inventory areas estimates, Ronald E. McRoberts, Daniel G. Wendt, Mark D. Nelson and Mark H. Hansen, 81:36
The influence of canopy green vegetation fraction on spectral measurements over native tallgrass prairie, Bradley C. Rundquist, 81:129
Airborne multispectral data for quantifying leaf area index, nitrogen concentration, and photosynthetic efficiency in agriculture, Eva Boegh et al., 81:179
Season-long daily measurements of multifrequency (Ka, Ku X, C, and L) and full-polarization backscatter signatures over paddy rice field and their relationship with biological variables, Y. Inoue et al., 81:194
Relationships between leaf pigment content and spectral reflectance across a wide range of species, leaf structures and developmental stages, Daniel A. Sims and John A. Gamon, 81:337
Remote sensing of nitrogen and lignin in Mediterranean vegetation from AVIRIS data – Decomposing biochemical from structural signals, Lydia Serrano, Josep Peñuelas and Susan L. Ustin, 81:355
Comparison of measured boreal forest characteristics with estimates from AVIRIS data and limited ancillary information using reflectance model inversion, Fraser Gemmell, Jari Varjo, Mikael Strandstrom and Andres Kuusk, 81:365
Sensitivity of large-footprint lidar to canopy structure and biomass in a neotropical rainforest, Jason B. Drake, Ralph O. Dubayah, Ribert G. Knox, David B. Clark and J.B. Blair, 81:378
Integrated narrow-band vegetation indices for prediction of crop chlorophyll content for application to precision agriculture, Driss Haboudane, John R. Miller, Nicolas Tremblay, Pablo J. Zarco-Tejada and Louise Dextraze, 81:416
Designing a spectral index to estimate vegetation water content from remote sensing data: Part 1 – Theoretical approach, Pietro Ceccato, Nadine Gobron, Stéphane Flasse, Bernard Pinty and Stefano Tarantola, 82:188
Designing a spectral index to estimate vegetation water content from remote sensing data: Part 2 – Validation and applications, Pietro Ceccato, Stéphane Flasse and Jean-Marie Grégoire, 82:198
The spatial manifestation of forest succession in optical imagery – The potential of multiresolution imagery, Conghe Song and Curtis E. Woodcock, 82:271
The spectral/temporal manifestation of forest succession in optical imagery – The potential of multitemporal imagery, Conghe Song, Curtis E. Woodcock and Xiaowen Li, 82:285
Determining land surface fractional cover from NDVI and rainfall time series for a savanna ecosystem, Todd M. Scanlon, John D. Albertson, Kelly K. Caylor and Chris A. Williams, 82:376
Mapping forest post fire canopy consumption in several overstory types using multi-temporal Landsat TM and ETM data, Jay D. Miller and Stephen R. Yool, 82:481
Retrieval of bare soil and vegetation parameters from wind scatterometer measurements over three different climatic regions, M. Grippa, 00:00

Volcanoes

Recovery of spectral emissivity from Thermal Infrared Multispectral Scanner imagery acquired over a mountainous terrain – A case study from Mount Etna Sicily, M.F. Buongiomo, V.J. Realmuto and Fawzi Doumaz, 79:123
Automated volcanic eruption detection using MODIS, Robert Wright, Luke Flynn, Harold Garbeil, Andrew Harris and Eric Pilger, 82:123

Water

Variation in the projected surface area of suspended particles: Implications for remote sensing assessment of TSM, Ole Aarup Mikkelsen, 79:23
Atmospheric correction for airborne sensors: Comment on a scheme used for CASI, Chuanmin Hu and Kendall L. Carder, 79:134

Coastal optical properties estimated from airborne sensors – Reply to the comments by Hu and Carder, Richard W. Gould Jr. and Robert A. Arnone, 79:138
The evolution of AVHRR-derived water temperatures over boreal lakes, Normand Bussières, Diana Verseghy and J. Ian MacPherson, 80:373
Application of an empirical neural network to surface water quality estimation in the Gulf of Finland using combined optical data and microwave data, Yuanzhi Zhang, Jouni Pulliainen, Sampsa Koponen and Martti Hallikainen, 81:327

Wetlands

Estimating forest structure in wetlands using multitemporal SAR, Philip A. Townsend, 79:288
Salt marsh vegetation radiometry – Data analysis and scaling, Sonia Silvestri, Marco Marani, Jeff Settle, Fabio Benvenuto and Alessandro Marani, 80:473